



proqress Lighting Fixture Catalog

FROMM ELECTRIC SUPPLY CORP.

Distributors

4th AND ELM STS.

READING, PA.

Phone: 373-5231



Contents PROGRESS CATALOG **107**

IN THIS CATALOG, you will discover *a complete selection* of fixtures for any room, any area, indoors and out. A complete variety unfolds excitingly . . . surprise mounts on surprise, as you turn the pages of this new Catalog. Or, for easy selection of fixture categories, use the Page Index.

	Pages
Chandeliers.....	7 to 17
Pull-Downs & Pendants.....	4 to 29
Hall & Foyer.....	30 to 37
Wall Brackets & Directo-Lites.....	36, 37
Kitchen, Bath & Utility Rooms.....	38 to 49
Circlines.....	32
Luminous Ceiling Kits.....	44, 45
Fluorescent—Surface & Recessed.....	43, 49, 59
Bent Glass.....	50 to 53
Recess Boxes and Hi-Hats.....	54 to 59
Shower Lites.....	59
Posts and Post Lanterns.....	60 to 63
Landscape Lites.....	64
Wall & Ceiling Lanterns.....	65 to 69
Electronic Lite Controls.....	60, 64, 70
Adaptors & Accessories.....	59, 64
Merchandise Displays.....	79
MOTION LIGHTING FIXTURES.....	71 to 79

Numerical index of Progress and Motion fixtures is on Page 80.

We gratefully acknowledge the help and cooperation of the Burrison Art Galleries, Philadelphia, Pa.; Aaron Ashley, Inc., Yonkers, N.Y.

Lighting is the liveliest of the home decorating arts, and, by its nature, the most important. It is also the most neglected.

Without imaginative, creative lighting, even impeccable decorative instinct and the finest furnishings fail to attain glorious realization.

Rich draperies, beautifully proportioned furniture, today's magnificent range of carpetry, remain unfulfilled, without the warmth, color and glow of living light.

Lighting is the 4th dimension of interior design. It is the touchstone, the unifying and vitalizing force. Without just-right lighting, color lies fallow; textures are blurred; exquisitely wrought detail is diminished; the soaring song of style and shape is muted.

But, with proper lighting, even ordinary rooms are startlingly transformed, and "special" rooms achieve sudden, striking distinction.

As the focal point of room decor, lighting's unique duty—and opportunity!—is to raise every other decorative element to the very limit of its beauty potential. When properly selected and applied, lighting creates a room personality—mellow, gay, intimate or exciting.

Today, choosing the right lighting, buying the right lighting, has never been so easy. The diversity of lighting styles, designs and concepts is enormous. Types range from petite, charming wall sconces as small as your hand to magnificent, regal crystal chandeliers large enough for a ballroom. And prices are well within the reach of any average family.

Progress Manufacturing Company, world's largest producer of residential lighting and related electrical products, assures this through design and technical skill plus the most modern, automated facilities in the industry.

This all adds up to an economical set of tools to glamorize and dramatize your home . . . to wonderfully express your home's personality—and your own!

Lighting can create a host of interesting, exciting effects, for your never-ending pleasure.

Lighting can create *drama*. The addition—or replacement—of a single lighting fixture can transform a drab interior into a dramatic and stimulating one, rich in bold accents, subtle highlights . . . varied tones. Fixture designs of dash, flair, verve, brilliantly enhance dramatic intensity.

Lighting can create *comfort*. Lack of light, inadequate light, weary the eyes . . . discomfort and wasteful, frustrating fatigue soon spread to mind and body. Proper lighting ensures comfort, convenience, ease.

Lighting can create *space*. Lighting can work wondrous illusions, making much of limited areas. The right kind of lighting, properly positioned, can "raise" low ceilings, "push back" encroaching walls—narrow, confined areas can be

made more livable, at a minimum of inconvenience and expense!

Lighting can create *intimacy*. Islands of intimacy amid a sea of people . . . or, in a hundred other unlikely places. This feat is simple for that great conjuror, Light—when properly planned.

Lighting can create *mood*. Gaiety, adventure, quiet content—there is no mood of man, no atmosphere that cannot be created by lighting. Today, the style and design of lighting fixtures easily span oceans or wing back through time to summon up stirring imagery and mood—romantic, moon-drenched hacienda courtyards; boisterous, rollicking Paris of the '90's; the glory days of old Williamsburg.

Lighting can create *safety*. Safety from falls, stumbles—all the mishaps and accidents that lurk in

LIGHTING THE FOURTH DIMENSION IN INTERIOR DESIGN

poorly lit places . . . Security against prowlers, vandals, pranksters. Maximum freedom from hazard, from danger, within easy reach—all it takes is light!

Lighting can create *relaxation*. Cheerful light, gently glowing through proper diffusers, lulls the senses . . . subdues tensions . . . turns any room into a haven of sweet quietude and relaxation.

Lighting can create *privacy*. A very large room—even an outdoor area—can, through proper planning, be ingeniously “partitioned” by lighting, bringing a delicious sense of privacy to persons or groups.

When “Light for Living” enters your home, won-



Left: Our P 3881 wall-mounted fixture, an authentic “gaslight” reproduction, blends beautifully with the Early American decor of this family room. It adds a delightful decorative accent and supplements the room’s general illumination. Right: Antique white furnishings with gold hand-decoration are handsomely highlighted with our P 4462 pull-down fixture, delicately hand-finished in authentic Tole white and gold . . . truly the perfect complement to this dream setting!

derful things begin to happen to your whole family. Children begin reading more, study is suddenly less of a chore. And developing young eyes are safeguarded from strain . . . Father finds a measure of tranquil relaxation he did not know existed . . . And Mother, of course, is chatelaine of, seemingly, an entirely new domain. Every household task is completed more quickly, easily, with less strain.



Good lighting can do so much to enhance your home, create an atmosphere of warmth and charm. Dramatic pendants highlighting the fireplace and a hand-decorated chandelier in the dining room all add decorative interest and a warm feeling of hospitality. Models shown: P 4205 Hanger with five P 4438 Pendants and P 4595 Chandelier.

Entertainment is more confident, successful . . . Everyone who lives in your home—or visits it—is blessed with a sense of physical and spiritual well-being.

Your lighting fixture scheme, in addition to providing the best possible illumination, must blend harmoniously with your overall furnishing plan. This can be Traditional, Transitional or Modern. Whatever period you prefer, Progress offers an abundant selection—handsome fixtures designed for all types of decor. Progress

keeps its varied lines as fresh as early spring by constant analysis of trends in furniture and interior design. Often, Progress anticipates new trends.

You can be a neighborhood trend-setter, through daring, sophisticated lighting approaches. For example, use such contrasting styles as Danish-inspired fixtures in an Early American room. Follow your own sound decorative instincts, keeping in mind the three great imperatives of decor—line, scale and color. For the rest, to-

day's wonderfully versatile lighting fixtures will firmly guide you to your goal. Most Progress fixtures equally grace a modest row home or a custom-built home.

As you prepare to purchase your fixtures, you are, today, very fortunate. You can gather the exotic fruits of the past decade's lighting revolution. A look through these pages conveys the scope of this revolution. Appropriately, the maker is Progress, leader and pioneer in the decade of tremendous change.



A cascade of glittering crystal makes our P 4445 five-light chandelier the dramatic focal point in this sumptuous foyer setting. Imported crystal prisms and bobaches and smooth polished brass combine to create an atmosphere of elegance and charm that makes your guests feel welcome from the moment they enter. The chain pendant glimpsed through the archway, Model P 3779, adds yet another decorative note to this elegant interior.

Faithfully illustrated and described for you are clusters; pull-downs of dazzling variety; pendants in a wealth of shapes, materials, finishes, styles and sizes; chandeliers, sconces and brackets distinguished by innovation; recessed lighting; an unrivalled array of posts, post lanterns and a glittering galaxy of outdoor lighting. And, now, for the first time, you can enjoy luminous ceilings—so smart and appealing—right in your own home and in any room you desire.

Truly a revolution, bringing never-before-seen utility, charm—and economy.

An intelligent lighting plan requires understanding of the three basic functions of all lighting: general, task and accent or dramatic.

General lighting is, simply, the

overall lighting pattern of any room. A strong reading light in an otherwise dark room, can soon lead to eyestrain because of the contrast between darkness and bright light. You will avoid this by the moderating presence of general light.

Task lighting provides adequate light for specific needs: reading, study, sewing, writing, cooking, grooming . . . a light over a piano or over a desk used for household "business".

Accent or dramatic lighting is lighting for sheer excitement, for frank effect. A fine painting, a trophy, a niche holding an *objet d'art*, an interesting wall . . . these are all possessions crying out for display, for accenting with the most direct and dramatic means—a beam of light.

Lack of heat in a home is easily



Above, a contemporary walnut-trimmed pull-down lighting fixture, Model P 4586, is both decorative and functional at sofa-side. Pull-downs make lighting a much more pliable element, allowing you complete freedom to adjust your lighting for reading, working or pleasant relaxation.

Below, matching Williamsburg sconces in polished brass add a graceful complement to this fireplace wall. Elegant in feeling, they blend beautifully with the brass fireside accessories, complement the five-light chandelier in the dining room. Models P 3822 and P 4020.



detectable, but inadequate lighting often escapes notice. This is because so many American homes are under-lighted. Millions of American families move about for years in an enervating—and unnecessary!—semi-twilight.

Are there enough fixtures in your home? Exhaustive studies establish a minimum of 26 fixtures for the average home (1200 square feet). If your home is "light poor", see your Progress Lighting Fixture dealer. He is a lighting professional and is near you, no matter where you live. He will help you add fixtures slowly, or re-fixture your entire home in a realistic, common-sense fashion.

As you plan your new world of lighting, be sure to investigate the great possibilities of:

Off-center or "peripheral" lighting . . . light the edges of a room for unusual effect, without sacrificing function.

Recessed lighting . . . perfect for the low-ceilinged room . . . also perfect for the simplicity of an "ultra-modern" look.

Dimming controls . . . control the light intensity of any room by simply flicking a switch or turning a dial.

Utility lighting . . . supplement ceiling lighting in a kitchen, bathroom or utility room with "close-up" lighting. For example, directly over



Above, second-helpings of hospitality abound in this charming dining room. The rich, mellow tones of solid maple are enhanced further by the soft glow of our Americana three-light chain pendant fixture (Model P 4103) in antique bronze with opal glass shades. A companion pull-down (Model P 4104) provides the proper lighting for sideboard service.



kitchen counter surface; over basin and dressing table in bathroom.

Outdoor lighting . . . light up your lawn, grounds and driveways, for greater beauty and security.

Now, you are ready to explore this lively, vitalizing medium—LIGHTING, the 4th dimension in interior design. Let your imagination soar as you embark on an exciting armchair journey through a wonderland of light on the following pages.

Progress wishes you Happy Lighting—and the Happy Living that so often follows it.

Note how the Tole wall-mounted fixture (Model P 3862) blends harmoniously with the Early American chain pendant (Model P 4580) in the photo on the left. The vanity mirror in the right hand photo is imaginatively lighted by an outdoor lantern. (Model P 5875).



P 3788



P 3888



casablanca



P 4456



CASABLANCA—The ageless romance and color of the southern Mediterranean, captured freshly, vividly . . . intriguing wrought iron construction in either Black or Antique White with Antique Brass accents.

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 3788 BLK P 3788 W	Black Ant. White	Three 40w		10"	16½"	36" max.
P 3888 BLK P 3888 W	Black Ant. White	One 40w	. . . switch	Extends 5"	15½"	—
P 4456 BLK P 4456 W	Black Ant. White	Five 40w		21"	19"	42" max.



tole



P 3761



P 3861



P 4460

No.	Lamps	Dia.	Body Ht.	Overall Length
P 3761	One 60w	8½"	—	10"
P 3861	One 60w . . . switch	Extends 8"	10"	—
P 4460	Five 60w	24"	16"	42" max.


TOLE—The most delightful flower of French Provincial blended with the grandeur of Louis XIV's Paris! This is strikingly authentic, thrillingly decorative Tole design in white and gold.



P 3763



P 4461



P 3862



P 4462

Detailed hand finishing in authentic Tole White and Gold . . . resplendent metal shades encircle opal glass diffusers . . . all fixtures in the TOLE Series are perfectly styled to match in finish and design.

No.	Lamps	Dia.	Body Ht.	Overall Length
P 3763	Three 60w	17"	—	12"
P 3862	Two 60w . . . switch	15"	10"	—
P 4461	50/200/250w . . . three way switch	15"	19"	42" max.
P 4462	50/200/250w . . . three way switch	15"	19"	31" to 65"



hacienda



P 3865



P 4465



P 3765

No.	Finish	Lamps	Dia.	Body Ht.	Overall Length
P 3765 AC	Ant. Copper	One 60w	8½"	—	17½"
P 3765 AB	Ant. Brass				
P 3865 AC	Ant. Copper	One 60w . . . switch	Extends 8"	14"	—
P 3865 AB	Ant. Brass				
P 4465 AC	Ant. Copper	Five 60w	24"	19½"	42" max.
P 4465 AB	Ant. Brass				

HACIENDA — Echoes of the free laughter and glad song that rang once through the great southwestern ranchos . . . Unusually graceful Contemporary Ranch style, hand-rubbed pine column and fonts . . . perforated metal shade over frosted chimneys.



P 4104



P 4105



P 3807



P 4103



P 4106



americana

AMERICANA — Recalls an America that was serene, secure, a nation of warm, friendly homes . . . Opal glass shades over frosted chimneys and authentic Antique Bronze finish perfect the nostalgic mood . . . P 4106 may be hung with chain shortened for close-to-ceiling effect.

No.	Lamps	Width	Shade Dia.	Body Ht.	Overall Length
P 3807	One 100w . . . switch	Extends 10½"	10"	14½"	—
P 4103	Three 100w	26"	10"	18"	40" max.
P 4104	50/200/250w . . . 3 way switch	14½"	12"	19"	32" to 68"
P 4105	50/200/250w . . . 3 way switch	14½"	12"	19"	40" max.
P 4106	One 100w	14"	10"	14½"	18" to 32"



promenade



P 3794



P 3895



P 3796



P 4595

No.	Lamps		Dia.	Body Ht.	Overall Length
P 3794	One 60w		10"	—	12"
P 3796	Three 60w	... swivel mounting	18"	—	15"
P 3895	One 60w	... switch	Extends 8"	12"	—
P 4595	Five 60w		24"	18"	42" max.

PROMENADE—Captures the vivid impressions of a stroll through the springtime boulevards of Paris . . . White and Gold finish, hand-crafted, hand-decorated; pierced metal shades with etched glass diffusers.



P 3745



P 3845



P 4445



cascade

CASCADE — Refreshing as a sudden woodland spring, breaking into a million tiny fragments of light . . . Polished Brass finish, imported crystal prisms and bobaches forever ablaze with fire and sparkle. Glittering crystal beads complete the picture of sumptuous elegance . . . Candelabra sockets.


No.	Lamps		Dia.	Body Ht.	Overall Length
P 3745	Three 40w		11"	19"	36" max.
P 3845	Two 40w	. . . switch	12"	15"	—
P 4445	Five 40w		20"	26"	42" max.



delmonico



P 3881
Convertible up
or down



Convertible up or down

No.	Finish	Lamps	Width	Overall Length
P 3780 AB	Ant. Brass	One 60w	6"	11"
P 3881 AB	Ant. Brass	One 60w ... switch	Extends 8½"	10"
P 4485 AB	Ant. Brass	Five 60w ... swivel mounted	23"	36"

DELMONICO — The rollicking Nineties — vigorous gaiety and handsome show — recalled in bold, handsome fixtures . . . Authentic "Gaslight" reproductions, with luminous 6" opal globes and hand-crafted fitters and canopy . . . both chandelier and wall bracket feature choice of up-or-down scrolled arm and globe mounting.



independence



INDEPENDENCE — Warmly handsome, pleasingly strong and free of false sophistication . . . Antique Brass finish American Colonial style . . . all wood is hand-toned fruitwood; metal shades have etched glass diffusers.

No.	Lamps	Dia.	Body Ht.	Overall Length
P 3783	One 60w	10"	—	12"
P 3876	One 60w . . . switch	Extends 8½"	11"	—
P 4505	Five 60w	23"	17"	42" max.



sonata



No.	Lamps		Dia.	Overall Length
P 3732	One 60w		—	12"
P 3831	One 60w	... switch	Extends 6½"	8½"
P 4030	Five 60w		20"	42" max.

SONATA — Even, gentle light and airy, classic symmetry of form induce a mood of delicious tranquility . . . Polished Brass finish, soft opal satin etched glass shades . . . egg-shell white accents.



williamsburg



P 3822




P 4020



P 3821

WILLIAMSBURG—The grace and chivalry of a grand ball in Old Williamsburg live again . . . All Williamsburg fixtures have artfully fashioned polished brass arms and Edison base white candle sockets.

No.	Finish	Lamps	Width	Overall Length
P 3821 BR	Pol. Brass	One 40w . . . switch	extends 7"	12"
P 3822 BR	Pol. Brass	Two 40w . . . switch	12"	12"
P 4020 BR	Pol. Brass	Five 40w	22"	42" max.



international





garland



P 4204

P 4204 Garland Kit includes a 15 foot polished brass link chain, 20 feet of cord with an end plug, on-off switch, and two decorative dolphin brass hooks for ceiling mounting (with 2 toggle bolts for plaster and 2 screws types for wood.) This versatile chain kit fits all Gill and Progress pendants.

The Garland Chain Kit brings a world of exciting light fixture opportunities to living rooms—and all other rooms—lacking ceiling outlets. Choose the spot for your lovely new fixture, make two simple attachments, and . . . suddenly, your room is aglow with new light—and *life*. (The polished brass chain that so handsomely suspends your fixture, carries a subtly blended cord for plugging into any electrical outlet!)


DECORATIVE PENDANTS ON EASY-TO-ATTACH HANGERS



P 4205



P 4203



P 4202



P 4201

Affix hanger canopy to ceiling. Thread Pendant cords into canopy, adjusting cord for desired length. Make electrical connections then screw bottom plate of canopy into place.

Hangers consist of ceiling canopy, white cord and sockets. 2, 3 and 5 light hangers have 14" spread, adjustable lengths to 44".





See page 19 for PROGRESS HANGER KITS

No.	Finish	Lamps		Dia.	Body Ht.
P 4426	White	One 100w	... opal cylinder ... colored jewel spray	5½"	13½"
P 4437	White	One 100w	... frosted hyperion glass	8"	10½"
P 4441	French White	One 100w	... TRANSLUCENT CORDEY china ... gold fluted cording ... eyelets	9"	12"
P 4442	French White	One 100w	... TRANSLUCENT CORDEY china ... diamond piercings	9"	13"
P 4479	White	One 100w	... frosted hyperion glass	6"	13"

Warm, flattering light glows from translucent China—and steals softly through delicate carvings . . . Still other appealing shapes in opal glass, frosted hyperion glass. All five of this exquisite variety of pendants will mate bewitchingly with your P 4204 Garland Light Kit or *any* of the Progress Hangers.



PENDANTS — Tempting shapes and delectable tints, variety with harmony. Pendants you can “mix or match” — 2, 3 or even 5 identical or different Pendants may hang on a single smart hanger . . . lyric notes of grace suspended on an arresting scale of decorative melody!

See page 19 for **PROGRESS HANGER KITS**

No.	Finish	Lamps		Dia.	Body Ht.
P 4206 BR P 4206 W	Pol. Brass White with Gold	One 100w	. . . metal fins . . . inside diffuser	10"	10½"
P 4404 BR P 4404 W P 4404 BLK	Pol. Brass Oyster White Satin Black	One 100w	. . . perforated vinyl coated bottom diffuser . . . jeweled highlights	7½"	—
P 4407 W P 4407 GLD	White with Gold French Gold	One 100w	. . . inside diffusing cylinder . . . to be used singly	10"	—
P 4431	French White	One 100w	. . CORDEY china . . . raised flowers outlined in gold	6½"	10½"
P 4433	Oyster White	One 100w	. . CORDEY china . . . chantilly lace applique in ceramic	8¼"	12¼"
P 4438 W P 4438 GLD	White with Gold French Gold	One 100w	. . . inside diffusing cylinder	8"	—
P 4481	Beige	One 100w	. . . opal cylinder with bead applique	6½"	8¾"



rancher



P 4470



P 3871



P 4468

P 4469



ALL AVAILABLE IN
BR AC

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 3871 BR	Pol. Brass	One 100w	... switch	Extends	10½"	—
P 3871 AC	Ant. Copper			8½"		
P 4468 BR	Pol. Brass	50/200/250w	... 3 way switch	14"	17½"	36" max.
P 4468 AC	Ant. Copper					
P 4469 BR	Pol. Brass	50/200/250w	... 3 way switch	14"	17½"	29" to 65"
P 4469 AC	Ant. Copper					
P 4470 BR	Pol. Brass	One 100w		8¾"	—	14½"
P 4470 AC	Ant. Copper					

RANCHER — Handsome and rugged — pulsing with the vitality of 19th century ranch life . . . RANCHER fixtures have fine, blown opal glass chimneys . . . pierced metal shades . . . authentic Antiqued Copper and Polished Brass finishes.



homestead



P 4510



P 4182



P 4183



HOMESTEAD . . . Frontier days recalled warmly with rugged, generous-sized fixtures—subtly softened, refined, for today's living . . . authentic finishes, both *polished* and *antiqued*, enhance these lovingly crafted replicas.

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 4182 AB	Ant. Brass	50/200/250w	... 3 way switch	18"	15"	26" to 62"
P 4182 BR	Pol. Brass		... opal glass			
P 4182 AC	Ant. Copper					
P 4183 AB	Ant. Brass	50/200/250w	... 3 way switch	18"	15"	36" max.
P 4183 BR	Pol. Brass		... opal glass			
P 4183 AC	Ant. Copper					
P 4510 BR	Pol. Brass	Four 60w	... 3 way switch	21"	16"	27" to 63"
P 4510 AC	Ant. Copper					



plantation



P 4581



P 4580



P 4705

P 4580

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 4580 W	White	50/200/250w	... 3 way switch ... opal chimney	14"	16"	36" max.
P 4581 W	White	50/200/250w	... 3 way switch ... opal chimney	14"	16"	26" to 62"
P 4705	Pol. Brass	Three 60w	... satin etched glass with prisms	15"	7 1/4"	—


PLANTATION . . . A superb crystal fixture, lighting a party for vivacious belles and their handsome beaux . . . or simple, eye-pleasing lanterns for day-to-day family living . . . P 4580 and P 4581 feature Colonial melon shade over opal glass chimney; P 4705, splendid with satin etched glass and profuse crystal.



ALL AVAILABLE IN
AB AC BR



early american



P 4520
P 4519

P 4522

P 4523

P 4521

EARLY AMERICAN . . . A hardy people's zest for working, fighting—living—summed up in vigorous, appealing design . . . **EARLY AMERICAN** fixtures are painstakingly detailed reproductions, in the very finishes of that far-off day—Polished Brass, Antiqued Brass, Antiqued Copper . . . yet undeniably modern in their volume of well-diffused light.

No.	Finish	Lamps		Diā.	Body Ht.	Overall Length
P 4519 BR P 4519 AC P 4519 AB	Pol. Brass Ant. Copper Ant. Brass	30/70/100w	. . . 3 way switch	12"	14"	26" to 62"
P 4520 BR P 4520 AC P 4520 AB	Pol. Brass Ant. Copper Ant. Brass	One 100w		12"	14"	30" max.
P 4521 BR P 4521 AC P 4521 AB	Pol. Brass Ant. Copper Ant. Brass	One 100w		12"	—	14½"
P 4522 BR P 4522 AC P 4522 AB	Pol. Brass Ant. Copper Ant. Brass	50/200/250w	. . . 3 way switch	15"	17"	36" max.
P 4523 BR P 4523 AC P 4523 AB	Pol. Brass Ant. Copper Ant. Brass	50/200/250w	. . . 3 way switch	15"	17"	29" to 65"



transitional



P 4000 TRAVERSE TRACK

Allows a Pendant or Pull-down to glide freely along a six foot expanse of track. Traverse track will connect to ceiling outlet, or plug into any wall receptacle. 15 foot cord and plug provided. Use with any Progress Pull-down or Pendant.



P 4501



P 4500

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 4000 W P 4000 BR	Matte White Satin Brass	—	... 6 ft. Traverse track, 15' cord and plug			
P 4500	Pol. Brass	Four 60w	... 3 way switch ... textured glass dome	21"	11½"	20" to 56"
P 4501	Pol. Brass	50/100/150w	... 3 way switch ... one piece, opal plastic shade	20"	13"	22" to 58"

TRANSITIONAL . . . A bridge between the best of today's design and the best of design to come . . . A shade combining glass with glittering brass—or a brilliantly wrought plastic shade adorning a fixture also graced by charming fruitwood . . . A pair of daring, imaginatively conceived fixtures.



P 4589



contempora



P 4558



P 4556



P 4586



CONTEMPORA —Sleek, cosmopolitan, modern in every line—a salute to the best in current design . . . A fixture series that will always be Contemporary.

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 4556 BR P 4556 GM	Pol. Brass Gun Metal	One 150w	... moulded luminous plastic globe	15"	10 3/8"	21" to 57"
P 4558 BR P 4558 GM	Pol. Brass Gun Metal	One 150w	... same as P 4556	15"	—	12"
P 4586	Pol. Brass	Three 60w	... walnut laminated to Fiberglas ... plastic diffuser ... 3 way switch	19"	9 1/2"	20" to 56"
P 4589	—	Four 60w	... walnut laminated to fiberglas ... etched glass diffuser	18"	6"	—



sophisticates



P 4121



P 4314



BR COP



P 4313



BR COP

No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
P 4121	Pol. Brass	Four 60w	... three way switch	21"	9"	20" to 56"
P 4313 BR	Pol. Brass	Four 60w	... three way switch	18"	7½"	18" to 54"
P 4313 COP	Pol. Copper					
P 4314 BR	Pol. Brass	Four 60w		18"	7"	—
P 4314 COP	Pol. Copper					

SOPHISTICATES — Frankly glamorous, chic, worldly-wise . . . created to complement tinkling cocktail glasses, glittering conversation against a background of soft music.



galaxy



P 4320



P 4322



P 4323

GALAXY—A sense of freedom and space big as the star-strewn midnight sky . . . **GALAXY** fixtures are White with Polished Brass.

No.	Lamps		Dia.	Body Ht.	Overall Length
P 4320	One 100w	... adjustable ... satin etched opal glass diffuser	9½"	12"	18" to 60"
P 4322	One 150w	... lens bottom ... satin etched opal glass diffuser	17½"	14½"	26" to 62"
P 4323	Five 60w	... satin etched deep bent glass diffuser	22"	5½"	—



P 3796



P 3763



P 3788



No.	Finish	Lamps		Dia.	Ht.	Overall Length
P 3763	Tole White	Three 60w	... opal glass diffusers	17"	—	12"
P 3788 BLK P 3788 W	Black Ant. White	Three 40w	... wrought iron with brass accents	10"	16½"	36" max.
P 3796	Tole White	Three 60w	... swivel mounting ... etched glass diffusers	18"	—	15"

hall
and
foyer



P 3779



P 4106



P 3745

A connoisseur's delight of choice offers radiant light and heart-swelling loveliness for hall and foyer . . . Chain Pendants and ceiling mounted fixtures featuring such varied materials as metal, glass, crystal, wrought iron . . . Surprising diversity of style—French Provincial, Mediterranean, Danish Modern, Tudor Manor.

No.	Finish	Lamps		Dia.	Ht.	Overall Length
P 3745	Pol. Brass	Three 40w	. . . imported crystal	11"	19"	36" max.
P 3779	Pol. Brass	Three 40w	. . . hand cut, imported crystal	7½"	11"	30" max.
P 4106	Ant. Brass	One 100w	. . . 10" opal shade over frosted chimney	14"	14½"	32" max.



P 3766



P 3780



P 3711



P 3732



P 3765



AB AC



P 3738



W GLD



P 3759

No.	Finish	Lamps		Dia.	Ht.	Overall Length
P 3711	Pol. Brass	One 100w	... satin frosted chimney	8½"	8⅞"	—
P 3732	Pol. Brass	One 60w	... satin opal shade	—	12"	—
P 3738 W P 3738 GLD	White with Gold French Gold	One 100w	... swivel mtd. ... inside diffuser	8"	—	10¾"
P 3759	Pol. Brass	One 100w	... etched crystal shade	8½"	8⅞"	—
P 3765 AC P 3765 AB	Ant. Copper Ant. Brass	One 60w	... wood font ... satin frosted chimney	8½"	—	17½"
P 3766 BR	Pol. Brass	One 100w	... swivel mtd.	7½"	10¼"	—
P 3780 AB	Ant. Brass	One 60w	... blown opal globe	6"	—	11"

Sparkling variety is the theme of this smart and charming hall-foyer collection . . . Florentine sphere and jeweled sphere . . . "Gaslight" reproduction . . . Contemporary Ranch style . . . Danish Modern . . . the "Dolly Madison" era.



P 3783



P 3717



P 3794



P 4470



BR AC



P 3718



P 3761

... and still more variety! Old English Manorhouse, in matching chain pendant and ceiling mounted fixtures. Or Authentic Rancher ... French Provincial ... timeless Tole.

No.	Finish	Lamps		Dia.	Overall Length
P 3717	Pol. Brass	One 75w	... simulated cut glass	6¾"	28" max.
P 3718	Pol. Brass	One 75w	... same as P 3717	6¾"	8"
P 3761	Tole White	One 60w	... opal diffuser	8½"	10"
P 3783	Ant. Brass	One 60w	... etched glass diffuser	10"	12"
P 3794	Tole White	One 60w	... etched glass diffuser	10"	12"
P 4470 AC P 4470 BR	Ant. Copper Pol. Brass	One 100w	... opal glass chimney	8¾"	14½"



P 3741



BR AC

P 3742




P 3721



BR AL


P 3720



P 3747



C BR COP



P 3749



P 4024



BR W COP



P 4026



No.	Finish	Lamps		Dia.	Ht.
P 3720 BR	Pol. Brass	Two 60w	... concealed torsion springs	8 $\frac{3}{8}$ " sq.	4"
P 3720 AL	Satin Aluminum		... drop opal glass		
P 3721 BR	Pol. Brass	Three 60w	... concealed torsion springs	12" sq.	4"
P 3721 AL	Satin Aluminum		... drop opal glass		
P 3741 BR	Pol. Brass	Two 60w	... patterned white glass	10 $\frac{1}{2}$ "	5 $\frac{1}{2}$ "
P 3741 AC	Ant. Copper				
P 3742 BR	Pol. Brass	Three 60w	... patterned white glass	12 $\frac{1}{2}$ "	5 $\frac{1}{2}$ "
P 3742 AC	Ant. Copper				
P 3747 C	Chrome	One 60w	... drop opal glass	6 $\frac{3}{4}$ "	4 $\frac{1}{2}$ "
P 3747 BR	Pol. Brass				
P 3747 COP	Pol. Copper				
P 3749 C	Chrome	One 100w	... drop opal glass	8 $\frac{3}{4}$ "	4 $\frac{3}{4}$ "
P 3749 BR	Pol. Brass				
P 3749 COP	Pol. Copper				
P 4024	Available in White, Pol. Brass and Pol. Copper, see page 41.			14"	4 $\frac{1}{2}$ "
P 4026				17"	4 $\frac{7}{8}$ "

A choice of interesting shapes,
convenient sizes . . . attractive
and useful in kitchen, bathroom,
den, utility or bedroom alike.



P 3710
concealed fitter



P 3726



P 3723



P 3408



P 3724



P 6913



P 3727



P 3799

Additional shapes—and additional finishes, tints, textures, glass, and styles. The choice is yours—and every choice is excellent!

No.	Finish	Lamps		Dia.	Ht.
P 3408 BR P 3408 C	Pol. Brass Chrome	One 60w	... blown opal globe	7"	4 $\frac{3}{8}$ "
P 3710	White	One 100w	... frosted opal glass	7 $\frac{3}{4}$ "	7 $\frac{1}{4}$ "
P 3723	Pol. Brass	One 100w	... white hob nail glass	5 $\frac{1}{2}$ "	7"
P 3724	Pol. Brass	One 100w	... stippled and louvered crystal	5 $\frac{1}{2}$ "	6 $\frac{3}{4}$ "
P 3726	Pol. Brass	One 60w	... blown, hand cut crystal	6 $\frac{1}{2}$ "	4 $\frac{1}{4}$ "
P 3727	Pol. Brass	One 60w	... satin crystal glass	7 $\frac{1}{2}$ "	5"
P 3799	Pol. Brass	One 60w	... pinpoint pierced reflector	12"	5"
P 6913 AL P 6913 BR	Satin Aluminum Satin Brass	One 100w	... solid aluminum ... opal glass ... also ideal for outdoors	4 $\frac{3}{8}$ "	6 $\frac{5}{16}$ "



P 3895




P 3888



P 3845



P 3881



P 3831



P 3865



P 3807



P 3871




No.	Finish	Lamps		Switch	Dia.	Ht.	Extends
P 3807	Ant. Bronze	One 100w	... opal glass shade	Yes	10"	14½"	10½"
P 3831	Pol. Brass	One 60w	... satin opal shade	Yes	4"	8½"	6½"
P 3845	Pol. Brass	Two 40w	... crystal prisms and bobaches	Yes	12"	15"	7"
P 3865 AB	Ant. Brass	One 60w	... wood font ... glass chimney	Yes	7"	14"	8"
P 3865 AC	Ant. Copper						
P 3871 BR	Pol. Brass	One 100w	... opal glass chimney	Yes	7½"	10½"	8½"
P 3871 AC	Ant. Copper						
P 3881 AB	Ant. Brass	One 60w	... opal globe ... up or down mtd.	Yes	6"	10"	8½"
P 3888 BLK	Black	One 40w	... wrought iron ... brass accents	Yes	4"	15½"	5"
P 3888 W	Ant. White						
P 3895	Tole White	One 60w	... hand decorated ... glass diffuser	Yes	7"	12"	8"

Wall sconces—for every taste, every mood, every use! Among others, Grecian, Mediterranean, "Gaslight", French Provincial and Early American styles are represented here. Fixtures for every taste—and each one a model of splendid taste!



P 3861



P 3862



P 3876



P 3854



P 3992



P 3991



P 3951



P 3952



P 3856

More wall brackets, more variety —more innovation. Tole bracket and *two*-light Tole bracket . . . swivel-mounted Directo Lite and double swivel-mounted Directo Lite. Brighten your walls with light, beautify your walls with brackets such as these.

No.	Finish	Lamps	Switch	Width	Ht.	Extends
P 3854	Pol. Brass	One 60w . . . gold ornamented glass	Yes	4 $\frac{3}{4}$ "	11 $\frac{1}{4}$ "	5"
P 3856	Pol. Brass	One 100w . . . gold ornamented glass	Yes	4"	7 $\frac{3}{4}$ "	3 $\frac{1}{2}$ "
P 3861	Tole White	One 60w . . . opal glass diffuser	Yes	6"	10"	8"
P 3862	Tole White	Two 60w . . . opal glass diffusers	Yes	15"	10"	7"
P 3876	Ant. Brass	One 60w . . . etched glass diffuser	Yes	7"	11"	8 $\frac{1}{2}$ "
P 3951 BR P 3951 COP P 3951 BLK P 3951 W	Pol. Brass Pol. Copper Satin Black White	One 100w or R-30(75w) . . . for wall or ceiling . . . swivel mounted	Yes	5 $\frac{5}{8}$ "	9 $\frac{1}{4}$ "	—
P 3952 BR P 3952 COP P 3952 BLK P 3952 W	Pol. Brass Pol. Copper Satin Black White	Two 100w or R-30 (75w) . . . same as P 3951	Yes	21"	9 $\frac{1}{4}$ "	—
P 3991 P 3992	Pol. Brass	One 100w . . . walnut on fiberglass . . . swivel mtd. Two 100w	Yes Yes	5 $\frac{3}{4}$ " 21"	8 $\frac{1}{2}$ " 8 $\frac{1}{2}$ "	— —



kitchen • bath • utility



P 3528



P 3529



P 3526



P 3527




P 3524



P 3525

No.	Lamps		Width	Ht.
P 3524	One 75w	... concealed fitter ... white opal glass	8 $\frac{3}{8}$ " dia.	4 $\frac{1}{2}$ "
P 3526	Two 60w		10 $\frac{5}{8}$ " dia.	4 $\frac{1}{2}$ "
P 3528	Two 100w		12 $\frac{5}{8}$ " dia.	4 $\frac{1}{2}$ "
P 3525	One 75w	... concealed fitter ... white opal glass	8 $\frac{3}{8}$ " sq.	4 $\frac{1}{2}$ "
P 3527	Two 60w		10 $\frac{5}{8}$ " sq.	4 $\frac{1}{2}$ "
P 3529	Two 100w		12 $\frac{5}{8}$ " sq.	4 $\frac{1}{2}$ "

Sleek, smart fixtures, in a variety of sizes that cast a luminous glow—almost magically enhancing the appearance of your kitchen, bath or utility room . . . and modern, softly-contoured shapes that tell a story of unexcelled decorative sense.



P 3522



P 4855

P 4858



P 3510



P 3508



P 4558



P 3506



Handsome, gleaming metal finishes set off ultra-modern conceptions in glass and plastic . . . A happy, enduring marriage of greater room beauty and rich, soft light are the natural—and enviable!—result.

No.	Finish	Lamps		Dia.	Ht.
P 3506 C	Chrome	One 60w	... ceramic fired glass, k.o. for switch	6 $\frac{3}{8}$ "	4 $\frac{1}{2}$ "
P 3506 AC	Ant. Copper				
P 3508 C	Chrome	Two 60w		8 $\frac{3}{8}$ "	5"
P 3508 AC	Ant. Copper				
P 3510 C	Chrome	Two 75w		10 $\frac{3}{8}$ "	5 $\frac{3}{8}$ "
P 3510 AC	Ant. Copper				
P 3522 C	Chrome	Four 60w	... satin etched glass	13 $\frac{3}{4}$ "	—
P 3522 BR	Pol. Brass				
P 4558 GM	Gun Metal	One 150w	... moulded luminous plastic globe	15"	12"
P 4558 BR	Pol. Brass				
P 4855 C	Chrome	Three 60w	... satin frosted white glass	15"	—
P 4855 BR	Pol. Brass				
P 4858 C	Chrome	Four 60w		18"	—
P 4858 BR	Pol. Brass				



P 4450



P 4449



P 4448



P 4447



P 3408



P 3410

No.	Finish	Lamps		Dia.	Ht.
P 3408 C	Chrome	One 60w	... blown opal globe ... k.o. for switch	7"	4 $\frac{3}{8}$ "
P 3408 BR	Pol. Brass				
P 3410 C	Chrome	Two 60w		9 $\frac{3}{4}$ "	5 $\frac{1}{2}$ "
P 4447 AL	Satin Aluminum	One 100w	... blown opal globe ... hang	8"	15"
P 4447 BR	Satin Brass		straight assembly		
P 4448 AL	Satin Aluminum	One 150w		10"	17"
P 4448 BR	Satin Brass				
P 4449 AL	Satin Aluminum	One 200w		12"	19"
P 4449 BR	Satin Brass				
P 4450 AL	Satin Aluminum	One 100w	... blown opal globe	13 $\frac{1}{2}$ "	8 $\frac{1}{2}$ "
P 4450 BR	Satin Brass				

Artistic, satisfying glass design, based on that most graceful natural form, the sphere . . . casting bright, well-diffused natural light.



P 4026

P 4024



BR

W

COP



P 3212

P 3210

P 3208

P 3206



P 4589

Dramatic, delightful combinations of curves and straight lines, in happy counterpoint... Supremely modish drum lights with lustrous diffusers; handsome, unusual shades with etched glass diffusers.

No.	Finish	Lamps		Dia.	Overall Ht.
P 3206	Chrome	One 60w	... opal diffuser	6"	4 $\frac{3}{4}$ "
P 3208		Two 60w		8"	5 $\frac{1}{4}$ "
P 3210		Two 75w		10"	5 $\frac{1}{4}$ "
P 3212		Three 60w		12"	5 $\frac{1}{4}$ "
P 4024 BR	Pol. Brass	Three 60w	... satin etched glass diffuser	14"	4 $\frac{1}{2}$ "
P 4024 COP					
P 4024 W					
P 4026 BR	Pol. Brass	Four 60w		17"	4 $\frac{7}{8}$ "
P 4026 COP					
P 4026 W					
P 4589	—	Four 60w	... walnut on Fibreglas ... satin etched diffuser	18"	6"

circlines



P 7332

P 7333




P 7322

P 7323

P 7356

P 7357



P 7352

P 7353



P 7329

C



COP



No.	Finish	Lamps	Ballast	Dia.	Ht.
P 7322 P 7323	Chrome Chrome	One 22w Circline	Regular Rapid	9 3/8"	2 1/4"
P 7329 COP P 7329 C	Copper Chrome	Two lites—32w and 22w	Rapid	12"	4 1/4"
P 7332 C P 7333 C P 7332 W P 7333 W	Chrome Chrome White White	One 32w	Regular Rapid Regular Rapid	12"	3"
P 7352 P 7353	Chrome Chrome	Two lites—40w and 32w Three lites—40w, 32w and 22w	Rapid Rapid	12"	3"
P 7356 P 7357	White White	Two lites—32w & 22w Two lites—40w & 32w	Rapid Rapid	16" 20"	4" 4"


Perfect, shadowless light from that glowingly symmetrical source, the circline . . . For even greater beauty and utility, the shielded circline . . . P 7356 and P 7357 Shielded circlines have pleated white polystyrene diffuser.

prismaline




P 7185

P 7195



P 7192

P 7182



HOUSING—20 Gauge Cold Rolled Steel, Rugged Die-Formed Construction.

WIRING COVER—Snap-out for easy access to electrical components. No tools required.

DIFFUSER—One-piece, Crystal Clear, Color Stabilized Polystyrene Lens, removed by easy "lift and shift" action.

MOUNTING—Surface (4 ft. models can also be pendant mounted), individual or continuous.

BALLAST—Choice of either E.T.L. Certified High Power Factor or U.L. Low Power Factor.

FINISH—Hi-Lustre Baked White Enamel Finish to assure permanence and durability.

No.	Lamps	Ballast	Length	Depth	Width
P 7182	Two 20w . . . U.L. Low Power Factor	Trigger	24"	3 1/2"	9"
P 7185	Two 40w . . . E.T.L. High Power Factor	Rapid	48"	3 1/2"	9"
P 7192	Four 20w . . . U.L. Low Power Factor	Trigger	24"	3 1/2"	14 1/2"
P 7195	Four 40w . . . E.T.L. High Power Factor	Rapid	48"	3 1/2"	14 1/2"

E.T.L. Test Reports 381462-3 supplied upon request.

NEW Progress Luminous Ceiling Kit

Your Progress Luminous Ceiling Kit can be installed wall-to-wall, or as a ceiling recess; or as a combination of the two, with equal ease. The unique perimeter channel, adaptable for all types of installations, attaches to either wood or masonry cleanly, simply—securely. For greatest flexibility, flush mounting or recess mounting capability are in every kit.

Everything needed for complete installation is packed in one carton—including perimeter track, main and cross tees, ribbed diffusing panels, joiner clips, hold-down clips, wire and snap-on hangers.

No special tools required. The perimeter track has locating notches for main and cross tees and is accurately pre-cut to suitable lengths. This makes installation speedy and simple.

Diffusing panels are made of light stabilized vinyl. Pure white, they resist discoloration and are approved by the National Building Codes, as self-extinguishing. Panels are easy to insert, easy to remove for washing and relamping. Panels are ribbed for maximum eye-appeal and rigidity; they are packed as a compact roll for a smaller, easily stored carton.

Anodized silver finish of all tracks insures permanent beauty of your installation; beaded edge prevents scratching.

And every step of the Luminous Ceiling Kit's installation is explained and illustrated in the simple, non-technical Instruction Sheet enclosed with each kit.

shadow-free, glare-free White vinyl panels filter out glare, glow with shadow-free, evenly-distributed light . . . lovely to look at and a protection from eyestrain.

residential and commercial Beautiful, practical and easy-to-install, anywhere in the home—kitchen, bathroom, bedroom, family room; in stores and offices.

low initial cost Simplified design and large-scale production of the Progress Luminous Ceiling Kit combined to make any luminous ceiling installation surprisingly low in price.

three sizes Three different kits for three different ceiling sizes. Choose one kit for your job, or use multiples where necessary. For example: for a 20' x 12' ceiling, order two 10' x 12' ceiling packages.

P 8720 6' x 8' Complete Luminous Ceiling Kit

P 8721 8' x 10' Complete Luminous Ceiling Kit

P 8722 10' x 12' Complete Luminous Ceiling Kit

LOW INSTALLATION COST . . . NO SPECIAL TOOLS REQUIRED Installation of Progress Luminous Ceiling Kits requires only a few household tools and the ability to follow a simple instruction sheet.

FLUORESCENT STRIPS AND LAMPS NOT INCLUDED. Luminous Ceiling Kits do not include fluorescent fixtures and lamps. Recommended installation of one row of 40 watt, 48" fluorescent strip over each eight square feet of diffuser.




Fig. 1
Cross section view of unique perimeter track (ABC) in a recessed installation.




Fig. 2
Cross section view of same unique perimeter track (ABC) rotated for wall-to-wall installation.




Fig. 3
Pre-cut notches of perimeter track for insertion of main tees.




Fig. 4
Demonstrates joining clips for the cross tees and main tees.



Shadow-free light, from an enchantingly modern source, makes older kitchens suddenly as new as morning, makes even new kitchens radiantly beautiful. Old *or* new, kitchens can give way to a bright heaven of glare-free light! Progress Luminous Ceilings ease the most tedious kitchen tasks, for shadowless light in rich abundance falls softly, perfectly distributed, on all parts of your kitchen. And meal-time in the kitchen becomes a happier time, a more exciting time — your Luminous Ceiling creates an aura of glamor that will never fade.


Luxury and splendid, all-purpose light invade your bathroom—and remain a continuing delight—as you replace an ordinary ceiling with a luminous canopy of softly-glowing light! Your bathroom can be a source of pride . . . masculine grooming and feminine beauty care performed under ideal lighting conditions.

Luminous Ceilings are economically installed—and will work wonders—in halls, kitchens, bathrooms, family rooms and powder rooms.





P 3041
P 3061



P 3079




P 3848




P 3846

No.	Finish	Lamps		Switch	Conv. Outlet	Length	Width
P 3041	Chrome	One 40w	... lumiline	Yes	Yes	14½"	2⅝"
P 3061		One 60w		Yes	Yes	20¼"	2⅝"
P 3079	Chrome	Three 60w	... extends 8"	K.O.	Yes	27"	9"
P 3166C	Chrome	One 60w	... opal globe...	K.O.	Yes	10"	6"
P 3166W	White and Gold		... extends 7"				
P 3846	White	One 60w	... opal plastic diffuser	Yes	Yes	9"	4"
P 3848		Two 60w		—	Yes	17"	4"
P 3855	Chrome	One 60w	... silver ornamented glass	Yes	Yes	11¼"	4¾"

Solve your bathroom lighting problems by choosing one—or more!—of this variety of bright, attractive fixtures. Interesting 3-light bracket... ornate V-glass fixture; "Gaslight" motif; lumiline; or dashing modern with advanced plastic diffuser.



P 3506
P 3508
P 3510




P 3117



P 3034



P 3063



P 3116



P 3090
P 3091
P 3092




P 3504
P 3505


More sparkling and creative ways to chase bathroom gloom! Wall lights or ceiling lights depending on bathroom layout... but wall *and* ceiling light, where necessary for proper light. Diffusers designed for maximum beauty, maximum light—minimum glare.

No.	Finish	Lamps	Switch	Conv. Outlet	Width	Ht.
P 3034	Chrome	Two 100w ... white opalescent glass	KO	Yes	11½"	4½"
P 3063	Chrome	One 100w ... white opalescent glass	Yes	Yes	4½"	6½"
P 3090 P 3091 P 3092	Chrome	One 100w ... ribbed white glass	— — P.C.	Gnd. Yes Yes	5¼"	4¼"
P 3116 P 3117	Chrome	One 100w ... matching pair ... white glass single unit of 3116 pair	KO	Yes	4¾"	8"
P 3504 P 3505	Chrome	One 100w ... ceramic fired glass One 150w	— —	— —	6" 7¾"	8" 8½"
P 3506 C P 3508 C P 3510 C	Chrome	One 60w ... ceramic fired glass Two 60w Two 75w	KO	—	6¾" 8¾" 10¾"	4½" 5" 5¾"


Also available in Ant. Cop. See page 39




P 3163



P 3137 P 3138



P 3162



P 3139 P 3140 P 3141



P 3113 P 3123



P 3068



No.	Finish	Lamps		Switch	Conv. Outlet	Length	Width
P 3068	Chrome	Two 100w	... adjustable... end caps	KO	Yes	14½"	4½"
P 3113	Chrome	Two 60w	... perforated metal reflector ... formed lucent glass	Yes	Yes	13"	4¾"
P 3123		Four 60w		Yes	Yes	23"	4¾"
P 3137	Chrome	Two 100w	... textured glass	KO	Yes	13"	3¾"
P 3138		Four 100w		KO	Yes	25"	3¾"
P 3139	Chrome	Two 100w	... textured glass ... end caps	KO	Yes	13"	3¾"
P 3140		Four 100w		KO	Yes	25"	3¾"
P 3141		Six 100w		KO	Yes	36"	3¾"
P 3162	Chrome	Two 60w	... textured glass	KO	Yes	14"	6"
P 3163		Three 60w		KO	Yes	21"	6"

New designs, new creations, conceived to end drab, depressing bathrooms—to bring bright, well-diffused light and cheerful styles... Here are different sizes, shapes, diffusers—and all with convenience outlet for the utmost in pleasurable comfort.



Fluorescents . . . Slenda-Lite fixtures (P 7121 and 7141) grace any room with their slim-lined design, with soft, shadow-free light . . . Or a choice of six other fluorescent brackets, for either wall or ceiling use, with interesting choice of swivel-turning diffuser or reflector.

POLISHED CHROME FLUORESCENT FIXTURES


MATCHING ACCESSORIES

No.	Lamps	Ballast	Size	Conv. Outlet	On-Off Switch	Adjustable Chrome Reflector	White Polystyrene Diffuser
P 7121	One 20w	Trigger	2¾" x 24½"	Yes	KO	—	Included
P 7141	One 40w	Rapid	2¾" x 48½"	Yes	KO	—	Included
P 7424	One 20w	Regular	3½" x 26⅞"	KO	KO	P 7502	P 7522
P 7425	One 20w	Trigger	3½" x 26⅞"	KO	KO	P 7502	P 7522
P 7437	One 30w	Rapid	3½" x 38⅞"	KO	KO	P 7503	P 7523
P 7449	One 40w	Rapid	3½" x 50⅞"	KO	KO	P 7504	P 7524
P 7451	One 14w	Regular	3" x 16¾"	Yes	Yes	P 7500	P 7520
P 7456	One 15w	Regular	3" x 19¾"	Yes	Yes	P 7501	P 7521

All fixtures are wired for 60 cycle, 110-125 V AC. Low Power Factor.



celestial



P 4657



P 4818



P 4705




P 4658

No.	Size		Lamps
P 4657	18"	... sweeping outer glass over inner bowl	Three 60w
P 4658	18"	... sweeping outer glass over inner bowl	Three 60w
P 4705	15"	... satin etched glass with prismatic gallery	Three 60w
P 4818	17"	... gold bead applique on white lucent glass	Four 60w

CELESTIALS . . . The serenity and soothing light of the full moon in a sea of a thousand twinkling stars . . . exotic "rounds" offer glass-within-glass or crystal baguettes alive with cool, multi-hued light . . . Equally important, plentiful light is here.




P 4884



P 4701



P 4958



P 4700



P 4885

Shapes . . . an imaginatively designed, highly contrasted series proving once more that good light can also be beautiful light . . . hexagons, rounds with fluted edges, round with different, hob-nail effect.

No.	Size		Lamps
P 4700	15"	. . . pattern on hexagon glass	Three 60w
P 4701	15"	. . . rattan pattern on hexagon glass	Three 60w
P 4884	15"	. . . ribbon design on fluted glass	Three 60w
P 4885	15"	. . . simulated cut design on fluted glass	Three 60w
P 4958	15 $\frac{3}{8}$ "	. . . crystal highlights on white hobnail glass	Three 60w




P 4713
P 4715



P 4693
P 4695




P 4894
P 4897



P 4712
P 4714
P 4716




P 4842
P 4844



P 4952
P 4954
P 4956

No.	Size		Lamps
P 4693	13"	... simulated cut design	Two 60w
P 4695	15"		Three 60w
P 4712	12"	... satin etched design	Two 60w
P 4714	14"		Three 60w
P 4716	16"		Four 60w
P 4713	13"	... silver bead applique design	Two 60w
P 4715	15"		Three 60w
P 4842	12"	... silver bead applique design	Two 60w
P 4844	14"		Three 60w
P 4894	14"	... satin white ribbed design	Three 60w
P 4897	17"		Four 60w
P 4952	12"	... satin etched design	Two 60w
P 4954	14"		Three 60w
P 4956	16"		Four 60w

Rounds and subtly rounded squares—variety of size, shape, glass and volume of fine light... Object: to express the personality of your rooms—and express the personality of yourself!



P 4928




P 4855

P 4858



P 4834




P 4735

P 4738



P 4824



P 4942

P 4944

P 4946


A brilliant carnival of varied forms, textures and finishes . . . appeals to the many facets of good taste . . . "rounded squares" with unusual surface effect . . . sweeping rounds artfully combining metal and glass.

No.	Size		Lamps
P 4735	15"	... silver bead applique design ... polished brass inset	Three 60w
P 4738	18"		Four 60w
P 4824	14"	... pattern on textured glass	Three 60w
P 4834	14"	... design with goldtone accents on textured glass	Three 60w
P 4855 Brass	15"	... satin frosted white glass	Three 60w
P 4855 Chrome	15"		Three 60w
P 4858 Brass	18"		Four 60w
P 4858 Chrome	18"		Four 60w
		Chrome finish illustrated on page 39	
P 4928	17"	... vari-striped deep bowl	Four 60w
P 4942	12"	... satin etched design	Two 60w
P 4944	15"		Three 60w
P 4946	17"		Four 60w




progress


Recess Units WITH INTERCHANGEABLE FRAMES




P 6700/6630 (100w)




P 6700/6631 (100w)




P 6700/6633 (100w)



P 6710/6640 (150w)



P 6710/6641 (150w)




P 6710/6644 (150w)

Recess Units COMPLETE WITH FRAME AND GLASS—UNWIRED HOUSING



P 6402 (60w)




P 6404 (100w)



P 6406 (150w)



P 6403 (60w)




P 6432 (60w)



P 6434 (100w)




P 6436 (150w)




P 6405 (100w)

Recess Units COMPLETE WITH FRAME AND GLASS—PREWIRED HOUSING




P 6413 (60w)




P 6415 (100w)



P 6412 (60w)




P 6414 (100w)




P 6416 (150w)



P 6422 (60w)



P 6424 (100w)




P 6426 (150w)


Complete housing and frame specifications on following pages.

recess fixtures

Round Recess WITH INTERCHANGEABLE FRAME—PREWIRED HOUSING




P 6685/6660 (100w)



P 6685/6661 (100w)



P 6685/6662 (100w)




P 6685/6664 (100w)




P 6685/6671 (R-40)



P 6685/6672 (R-30)



P 6685/6676 (R-30)



P 6685/6677 (R-30)

Round Recess WITH INTERCHANGEABLE FRAME—UNWIRED HOUSING



P 6695/6660 (100w)



P 6695/6661 (100w)




P 6695/6662 (100w)




P 6695/6664 (100w)



P 6695/6671 (R-40)



P 6695/6672 (R-30)



P 6695/6676 (R-30)



P 6695/6677 (R-30)

HI-HATS




P 6917 (R-30)



P 6919 (R-40)



P 6918 (R-30)



P 6920 (R-40)

SHOWER-LITES



P 6915 (75w)



P 6913 (100w)

FLUORESCENT RECESS



P 7210 (2-20w)
P 7211


P 7230 (2-20w)
P 7231

Complete housing and frame specifications on following pages.



PRE-WIRED

P 6412 P 6414 P 6416



60-WATT

100-WATT

150-WATT

P 6412


Housing size 6 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 8 $\frac{1}{4}$ ", for 1-60W lamp. White glass diffuser.

P 6414

Housing size 8" x 8", frame size 9 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-100W lamp. White glass diffuser.

P 6416

Housing size 10" x 10", frame size 11 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ ", for 1-150W lamp. White glass diffuser.



P 6422 P 6424 P 6426

P 6422

Housing size 6 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 8 $\frac{1}{4}$ ", for 1-60W lamp. Drop opal diffuser.

P 6424

Housing size 8" x 8", frame size 9 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-100W lamp. Drop opal diffuser.

P 6426

Housing size 10" x 10", frame size 11 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ ", for 1-150W lamp. Drop opal diffuser.



P 6413 P 6415


P 6413

Housing size 4 $\frac{3}{4}$ " x 7 $\frac{3}{4}$ ", frame size 6 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-60W lamp. White glass diffuser.

P 6415

Housing size 6 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 12 $\frac{3}{4}$ ", for 1-100W lamp. White glass diffuser.


Recess Units COMPLETE WITH HOUSING, FRAME AND GLASS



Wood Framed Openings. Holes in flanged bottom for quick installation with nails or screws, in wood framed openings.



Dry Ceiling Construction. Cut hole in finished ceiling. Install set of 4 "E-Z" Clips from inside recess box. Clips (P8700) available as accessory.



Highly polished wide contoured chrome trims secured to housing with concealed torsion springs.



UN-WIRED

P 6402 P 6404 P 6406



60-WATT

100-WATT

150-WATT

P 6402


Housing size 6 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 8 $\frac{1}{4}$ ", for 1-60W lamp. White glass diffuser.

P 6404

Housing size 8" x 8", frame size 9 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-100W lamp. White glass diffuser.

P 6406

Housing size 10" x 10", frame size 11 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ ", for 1-150W lamp. White glass diffuser.



P 6432 P 6434 P 6436

P 6432

Housing size 6 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 8 $\frac{1}{4}$ ", for 1-60W lamp. Drop opal diffuser.

P 6434

Housing size 8" x 8", frame size 9 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-100W lamp. Drop opal diffuser.

P 6436

Housing size 10" x 10", frame size 11 $\frac{1}{4}$ " x 11 $\frac{1}{4}$ ", for 1-150W lamp. Drop opal diffuser.



P 6403 P 6405

P 6403


Housing size 4 $\frac{3}{4}$ " x 7 $\frac{3}{4}$ ", frame size 6 $\frac{1}{4}$ " x 9 $\frac{1}{4}$ ", for 1-60W lamp. White glass diffuser.

P 6405

Housing size 6 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ ", frame size 8 $\frac{1}{4}$ " x 12 $\frac{3}{4}$ ", for 1-100W lamp. White glass diffuser.

All Recess Boxes on this page are only 4 $\frac{1}{4}$ " deep.

100-WATT PRE-WIRED HOUSING



P 6700

FRAME WITH FLAT ALBALITE

P 6630



Frame with flat albalite glass, $9\frac{1}{4}$ " x $9\frac{1}{4}$ " outside dimension.

Deluxe, shallow-depth, square housing, shipped pre-wired for quick, easy installation. Any one of three different square frames easily secured to housing—and easily removed for relamping and servicing. Brings modern, architectural lighting to home and office. Housing 8 " x 8 " sq., $4\frac{1}{4}$ " depth. Has four adjustable hanger flanges (0 "- 2 ") with self nailers. Outlet box (26 cu.in.) has combination knockouts ($\frac{1}{2}$ "- $\frac{3}{4}$ ") and screwdriver slots for easy removal of knockouts.

FRAME WITH DROP OPAL

P 6631



Frame with rich, white drop opal glass, $9\frac{1}{4}$ " x $9\frac{1}{4}$ " outside dimension.

ALL GLASS

P 6633



Exceptionally attractive, blown opal, all glass diffuser, 10 " x 10 ".


Recess Units WITH INTERCHANGEABLE FRAMES

IN FIVE FINISHES



All metal frames on this page available in choice of five handsome, lifetime finishes: Copper, Paint, Brass, Chrome or Satin Aluminum.

150-WATT PRE-WIRED HOUSING



P 6710

FRAME WITH FLAT ALBALITE

P 6640



Frame with flat albalite glass, $11\frac{1}{4}$ " x $11\frac{1}{4}$ " outside dimension.

Deluxe, shallow-depth, square housing, shipped pre-wired for quick, easy installation. Any one of three different square frames easily secured to housing—and easily removed for relamping and servicing. Brings modern, architectural lighting to home or office . . . especially recommended for low or dropped ceilings. Housing 10 " x 10 " sq., $4\frac{1}{4}$ " depth. Has four adjustable hanger flanges (0 "- 2 ") with self nailers. Outlet box (26 cu. in.) has combination knockouts ($\frac{1}{2}$ "- $\frac{3}{4}$ ") and screwdriver slots for easy removal of knockouts.

FRAME WITH DROP OPAL

P 6641



Frame with rich, white drop opal glass, $11\frac{1}{4}$ " x $11\frac{1}{4}$ " outside dimension.


ALL GLASS

P 6643




Exceptionally attractive, blown opal, all glass diffuser, 12 " x 12 ".

PRE-WIRED



UNWIRED



BAR HANGER
INCLUDED IN HOUSING
P 8701



P 6660 Frame with flat alba-lite glass, 8 1/4" outside diameter, for 100W lamp.



P 6671 Frame only, 8 1/4" outside diameter, opening for R-40 (150W) lamp.




P 6661 Frame with rich, white drop opal glass, 8 1/4" outside diameter, for 100W lamp.



P 6672 Frame only, 8 1/4" outside diameter, opening for R-30 (75W) lamp.



P 6662 Frame with clear fresnel lens, 8 1/4" outside diameter, for 100W lamp.



P 6664 Frame only, pinhole opening for concentrated accent, 8 1/4" outside diameter, for 100W lamp.



P 6676 Frame with adjustable eyeball, 8 1/4" outside diameter, for R-30 (75W) lamp.



P 6677 Frame with adj. eyeball and cast alum. louver, 8 1/4" outside diameter, for R-30 (75W) lamp.




Recess Rounds WITH INTERCHANGEABLE FRAMES



Accent lighting, area-lighting—and adjustable spotlighting—through a variety of easily removable frames, with choice of handsome, lifetime finishes and three attractive, glare-free diffusers. Carefully produced, pre-wired or un-wired housing. Splendid choice for that modern look in home or office.

Recessed Shower Light and Hi-hats

COMPLETE WITH PLASTER FRAME, 4½" AF WIRE AND CONNECTOR.




P 6917 is Polished Aluminum finish; outside dia. 5⅞", housing is 4½" dia., 5⅜" high; uses R-30 (75W) lamp. No exposed ht.

P 6919 is Pol. Alum. fin.; outside dia. 6⅞", housing is 5¼" dia., 6⅞" high; uses R-40 (150W) lamp. No exposed ht.




P 6915 Recessed Shower Light ... opal glass diffuser filters light for increased shower and bath relaxation, watertight gasket protects fixture. Polished Aluminum finish; outside dia. 7⅞", exposed ht. 1¾"; housing is 4⅜" dia., 5¼" high; uses 75W lamp.



P 6918 is Polished Aluminum finish; metal louver, 5⅞" outside dia., no exposed height; housing is 4½" dia., 7⅞" high; uses R-30 (75W) lamp.

P 6920 is Pol. Alum. fin.; metal louver, 6⅞" outside dia., no exposed ht. Housing size is 5¼" dia., 8⅞" high; uses R-40 (150W) lamp.

Recessed Fluorescent



Fluorescent lighting in a recessed design! Ribbed, white polystyrene diffuser ... torsion hinged chrome frame for easy access to housing. Overall: length 25⅞", width 8⅞"; housing: length 24", ht. 4¼", width 6¾". Uses two 20W lamps.

P 7210—Regular Ballast

P 7211—Trigger Ballast



Another recessed fluorescent, with "3-dimensional", smooth, white polystyrene diffuser ... torsion hinged chrome frame for easy access to housing. Overall: length 25⅞", width 8⅞"; housing: length 24", ht. 4¼", width 6¾". Uses two 20W lamps.

P 7230—Regular Ballast

P 7231—Trigger Ballast

HI-HAT ADAPTOR KIT



P 8717 A Progress innovation that allows you to replace an older, installed Hi-Hat with a lovely, new pendant, pulldown—or any other style. Matte white finish; 7⅞" dia.; complete with four self-tapping screws, male screw plug with 12" leads, and strain relief.

VAPOR PROOF SHOWER-LITE



P 6913 A smart and petite shower light, impervious to water spray vapor. Solid Aluminum, surface mounted ... opal glass and watertight gasket. In Satin Aluminum or Satin Brass finish. Dia. 4⅞"; exposed ht. 6⅞"; uses one 100W lamp.





P 5304





P 5303



P 5309



P 5300



P 5301




P 5391

P 5392

P 5394

POST CONVENIENCE
OUTLET...weather-
proof...U.L. Ap-
proved, 3 wire
grounded conven-
ience outlet...snap-
on cast aluminum
cover.



Sentinels of your home are your lantern posts. Combine them with good-looking Progress lanterns. Hold back the edge of darkness... "redecorate" your lawn and grounds with delightful post lantern combinations—in your favorite period style.

No.	Finish		Dia.	Ht.
P 5300 BLK P 5300 W	Satin Black White	... telescoping all aluminum post	3"	4½' to 8'
P 5301 BLK P 5301 W	Satin Black White	... same as P 5300 with grounded c.o. and weatherproof cover	3"	4½' to 8'
P 5303 BLK P 5303 W	Satin Black White	... all aluminum sculptured post	3"	7' to 8'
P 5304 BLK P 5304 W	Satin Black White	... same as P 5303 with ¾" square base	3"	7' to 8'
P 5309 BLK P 5309 W	Satin Black White	... wrought iron ... scroll design ... wired through center	5¼" sq. 3" collar	7'
P 5391	Satin Black	... all aluminum	3"	7'
P 5392	Satin Black	... same as P 5391 with grounded c.o.	3"	7'
P 5394	Satin Black	... same as P 5391 with automatic photo- electric ON-OFF switch	3"	7'

cast aluminum



P 5719
MATCHING WALL
LANTERN, PAGE 65



P 5403



P 5406



P 5401



P 5724
MATCHING WALL
LANTERN, PAGE 65



P 5402



P 5723

MATCHING WALL
LANTERN, PAGE 65

LIFETIME CONSTRUCTION

PERMANENTLY
WEATHER RESISTANT

Hansom carriages through the park and a concert by Victor Herbert! . . . or a Colonial minuet. Choose the style, the magic will follow after . . . Cast Aluminum lanterns are guaranteed rust-free for life. All lanterns fit 3" dia. posts.

No.	Finish		Width	Ht.
P 5401 BLK	Satin Black	... cast aluminum ... frosted glass chimney	10¾"	17"
P 5401 W	White	... clear glass panels		
P 5402 BLK	Satin Black	... cast aluminum ... clear crystal globe	10½"	20½"
P 5402 W	White			
P 5403 BLK	Satin Black	... cast aluminum ... clear crystal globe	11"	23½"
P 5403 W	White	... white ribbed glass dome		
P 5406 BLK	Satin Black	... cast aluminum ... frosted glass chimney	10½"	23"
P 5406 W	White	... clear glass panels		



P 5405




P 5416



P 5428



P 5438




P 5846

MATCHING WALL
LANTERN, PAGE 67

No.	Finish		Width	Ht.
P 5405	Satin Black	... white opal glass globe ... cast aluminum	12½"	22½"
P 5416	Satin Black	... white opal glass globe	13¼"	14½"
P 5428 BLK	Satin Black	... frosted glass chimney ... polished	8½"	21½"
P 5428 W	White	and bevelled plate glass		
P 5438 BLK	Satin Black	... frosted glass chimney ... polished	8¾"	18"
P 5438 W	White	and bevelled plate glass		

Handsome, meticulously crafted post lanterns... day-before-yesterday, yesterday, today, and—with a little imagination—tomorrow! . . . Period lanterns are authentic reproductions. All lanterns fit 3" dia. posts.



P 5491




P 5490



P 5419



P 5412



P 5978
MATCHING WALL
LANTERN, PAGE 68



P 5425

LIFETIME CONSTRUCTION

PERMANENTLY
WEATHER RESISTANT

Choose from different times, different places... Ultra-modern, Contemporary, or Colonial American; on the other hand, Old Cathay... All lanterns fit 3" dia. posts.

No.	Finish		Width	Ht.
P 5412	Satin Black	... French crystal moulded glass	8½"	12½"
P 5419	Satin Black	... hi-impact stippled globe	17"	13¾"
P 5425	Satin Black	... ribbed white glass	13½"	12½"
P 5481 BLK	Satin Black	... frosted glass chimney ... clear	9½"	16¾"
P 5481 W	White	crystal glass panels	9½"	16¾"
P 5491	Satin Black		9½"	19"
P 5490	Satin Black	... frosted chimney ... clear	8"	15½"
		crystal panels		

NOW POST LANTERNS CAN BE WALL AND SURFACE MOUNTED!

Any of 21 Progress post lanterns may now become wall or pier lanterns . . . just by using the new Progress mounting brackets—distinctive in their own right. Mount a post lantern on a fence, a porch rail, an entrance wall—wherever fancy and taste dictate.

P 8725. Wall mounting bracket, extends 8½", Cast Aluminum and guaranteed rust-free for life.



P 8725 BLK Satin Black

P 8725 W White

P 8726. Surface mounting bracket, 6" Wide x 4½" High, Cast Aluminum and guaranteed rust-free for life.

P 8726 BLK Satin Black

P 8726 W White



DRIVEWAY AND PATH LIGHTS

Line your driveways and pathways with charming sources of ground-level light . . . for the safety of your family and guests, these lights will also bring new, nocturnal beauty to your grounds and greenery.

P 5226. Driveway Lite, Lustre Green finish. Scalloped reflectors, clear crystal glass, accommodates ½" conduit. Width 6½", height 8½". For 100W lamp.

P 5227. Portable Driveway Lite, same as P 5226 with 7" Cast Aluminum spike, weatherprotected convenience outlet and 15' covered cord and plug. Height 8½" plus 7" spike.

AUTOMATIC LIGHT CONTROLS WITH PHOTO-ELECTRIC CELLS

Automatic light controls bring wonderful, new convenience and security. Now, light becomes your reliable and unfailing servant.

P 8750 NITE GUARD—FOR POST MOUNTING

Something new under the sun, an automatic photo-electric switch that turns your post lanterns on at dusk, off at dawn . . . impervious to extremes of temperature, unaffected by headlights of passing cars, inconspicuous. Fits on any standard (3") post. Ht. 6". Color coded connections. 300W Capacity.

P 8750 BLK Satin Black

P 8750 W White

P 8752 FOR WALL MOUNTING. Two, three or a small galaxy of outdoor lights come magically alight at dark, go off at dawn—automatically operated by this outdoor post and lantern control. 2¾" Wide x 4½" high. Satin Aluminum. 300 W Capacity.




cast aluminum



P 5722



P 5723



P 5719



P 5724



P 5721



LIFETIME CONSTRUCTION

PERMANENTLY
WEATHER RESISTANT

A warm welcome to your guests from warmly glowing wall lanterns . . . and a provocative hint of the decorative taste that awaits within! . . . Cast Aluminum lanterns are guaranteed rust-free for life.

No.	Finish		Width	Ht.	Extends
P 5719 BLK	Satin Black	... cast aluminum ... clear crystal globe ... white ribbed glass dome	7¾"	15½"	8"
P 5719 W	White				
P 5721 BLK	Satin Black	... cast aluminum ... polished and bevelled plate glass	7"	10½"	4½"
P 5721 W	White				
P 5722	Ant. Hammered	... cast aluminum ... stippled and fluted globe	6"	11"	7"
P 5723 BLK	Satin Black	... cast aluminum ... clear crystal globe	7"	14½"	7¾"
P 5723 W	White				
P 5724 BLK	Satin Black	... cast aluminum ... frosted chimney	8½"	13½"	9"
P 5724 W	White	... clear glass panels			



P 5969




P 5720



P 5967






P 5964



P 5959

No.	Finish		Width	Ht.	Extends
P 5720	Satin Black	... cast aluminum ... opalescent moulded glass	5½"	10"	5"
P 5959	Ant. Hammered	... cast aluminum ... pebbled glass ... two 60w	9¾"	3½"	—
P 5964	Satin Black	... clear crystal panels	22"	8¼"	9¾"
P 5967	Ant. Hammered	... cast aluminum ... polished fluted crystal glass	5½"	8"	6¼"
P 5969	Ant. Hammered	... cast aluminum ... clear pebbled glass	7⅞"	8"	8"

Four wall lanterns, one ceiling lantern . . . varied in design, size, glass—and mood—but alike in fidelity to detail and excellence of construction . . .



LIFETIME CONSTRUCTION

PERMANENTLY
WEATHER RESISTANT

No.	Finish		Width	Ht.	Extends
P 5589	Satin Black	... crystal globe with beaded swirl	5 $\frac{3}{8}$ "	13"	6"
P 5846 BLK P 5846 W	Satin Black White	... polished and bevelled plate glass	5 $\frac{1}{2}$ "	17 $\frac{3}{4}$ "	7"
P 5875 BLK P 5875 W	Satin Black White	... polished and bevelled plate glass	5 $\frac{1}{2}$ "	12 $\frac{3}{4}$ "	6"
P 5953 BLK P 5953 W	Satin Black White	... clear crystal panels	6 $\frac{1}{2}$ "	16 $\frac{3}{4}$ "	6 $\frac{1}{4}$ "
P 5966 BLK P 5966 W	Satin Black White	... crystal globe with ceramic-fired bevelled corners and panels	5"	16"	6"




P 5960



P 5961




P 5963



P 5962



P 5965




P 5978



P 5970

P 5730
P 5731



P 5735

No.	Finish	Lamp		Width	Ht.
P 5730 BLK	Satin Black	One 60w	... white frosted glass	7½"	3¾"
P 5730 W	White				
P 5731 BLK	Satin Black	Two 60w		9¼"	3¾"
P 5731 W	White				
P 5735	Satin Black	One 75w	... screenex crystal glass	4¾"	9"
P 5960 BLK	Satin Black	One 75w	... screenex crystal glass ...	7½"	9"
P 5960 W	White		extends 5½"		
P 5961	Satin Black	One 75w	... ceiling companion to P 5960	7½"	9"
P 5962	Satin Black	One 75w	... clear crystal glass ... extends 9"	7¾"	8¼"
P 5963	Satin Black	One 75w	... ceiling companion to P 5962	7¾"	9"
P 5965	Satin Black	One 75w	... chain hung companion to P 5962	7¾"	30" max.
P 5970	Satin Black	One 75w	... French crystal moulded glass ... extends 4"	4¾"	8"
P 5978	Satin Black	One 75w	... French crystal moulded glass ... bottom lens ... extends 6½"	9"	9½"

Lanterns for many needs, many moods—and all seasons . . . matching wall and ceiling lanterns; and even a perfectly matched wall, ceiling and pendant trio! . . . Or, use *any* fixture on this page by itself, as a lovely beacon of light and decor.

P 5776
AC BLK



P 5566
AC BLK




P 5948
AC BLK




P 5974



P 5975



P 5727
P 5729
W BLK



P 5968

LIFETIME CONSTRUCTION

PERMANENTLY
WEATHER RESISTANT


No.	Finish	Lamp	Width	Ht.	Extends
P 5566 AC P 5566 BLK	Ant. Copper Satin Black	One 75w ... satin frosted blown globe	5½"	7"	5½"
P 5727 BLK P 5727 W P 5729 BLK P 5729 W	Satin Black White Satin Black White	One 60w ... pebbled glass Two 60w ... pebbled glass	7½" sq. 9¼" sq.	3¼" 3¼"	— —
P 5776 AC P 5776 BLK	Ant. Copper Satin Black	One 75w ... crystal marine cylinder	4¾"	7¼"	5¼"
P 5948 AC P 5948 BLK	Ant. Copper Satin Black	One 75w ... fluted crystal globe	4¾"	7¼"	5"
P 5968	Satin Black	One 75w ... satin frosted panels ... with plastic numerals	7½"	9½"	5¼"
P 5974	Satin Black	One 75w ... French crystal cylinder	4¼"	6¾"	4½"
P 5975	Satin Black	One 75w ... white glass with clear lines	4½"	7¾"	6¼"



DRAMATIC LIGHT CONTROL with PROGRESS ELECTRONIC DIMMERS

P 8765. Dimmer offers CONTINUOUS SELECTION of light intensity. Enjoy the exact light level for any activity—formal dinner, casual entertaining, relaxation by the softest of lights. Push for on or off—without disturbing light setting. No noise, click or flicker. Capacity of ten 40W fluorescent lights with dimmer ballasts or 600W incandescent.

P 8767, same as P 8765, capacity of 600W, incandescent only.




Economy Dimmers for Every Room in the House


P 8762. The convenience of controlled light levels, through an *inexpensive electronic dimmer!* Wonderful accessory for any room in the house. Hi-Lo-Off switch. 300W capacity, incandescent only.

P 8763. More powerful—but still *inexpensive*—version of P 8762. 600W capacity, incandescent only.


PROGRESS DIMMER CONTROLS FIT SINGLE GANG OUTLET BOXES AND USE EXISTING WIRING



1. Remove existing wall plate and disconnect switch from house wiring.



2. Connect dimmer to house wiring with two wirenuts. Mount dimmer to wall box with two screws, in same fashion as switch.



3. Cover dimmer with wall plate and push knob and skirt onto dimmer shaft.






proqress



motion
LIGHTING FIXTURES



PM 4218



No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
PM 4216 BR	Satin Brass	Two 75w	... frosted glass ...	14"	8½"	20" to 56"
PM 4216 COP	Satin Copper		switch			
PM 4216 BLK	Satin Black					
PM 4216 W	White with Gold Fleck					
PM 4218 BR	Pol. Brass	Three 75w	... frosted glass ...	17"	8½"	20" to 56"
PM 4218 COP	Pol. Copper		3 way switch			
PM 4238 BR	Satin Brass	Two 60w	... metal reflector ...	12"	4"	—
PM 4238 W	White		frosted glass			
PM 4238 COP	Satin Copper					
PM 4239 BR	Satin Brass	Two 75w	... metal reflector ...	14"	4¾"	—
PM 4239 W	White		frosted glass			
PM 4239 COP	Satin Copper					




No.	Finish	Lamps		Dia.	Body Ht.	Overall Length
PM 3830	Pol. Brass	One 60w	... crystal etched glass ... switch	Extends 4 $\frac{3}{8}$ "	8 $\frac{1}{2}$ "	—
PM 4010	Pol. Brass	Five 60w	... crystal etched chimneys ... clear glass column	18 $\frac{1}{2}$ "	17"	36" max.
PM 4223 BR PM 4223 AC	Pol. Brass Ant. Copper	One 100w	... satin frosted glass	12"	10 $\frac{3}{4}$ "	30" max.
PM 4224 BR PM 4224 AC	Pol. Brass Ant. Copper	One 100w	... satin frosted glass	12"	9"	—



PM 4872
PM 4874
PM 4886



PM 4742
PM 4743
PM 4744



PM 4962
PM 4963
PM 4964
PM 4976



PM 4672



PM 4682
PM 4684

No.	Size		Lamps
PM 4672	12"	... pattern on textured glass	Two 60w
PM 4682 GLD	12"	... gold bead applique	Two 60w
PM 4684 GLD	14"		Two 60w
PM 4682 SIL	12"	... silver bead applique	Two 60w
PM 4742	12"	... white ceramic design ... textured glass	Two 60w
PM 4744	14"		Two 60w
PM 4743	12"	Same as 4742 with pull chain	Two 60w
PM 4872	12"	... clear design on white textured glass	Two 60w
PM 4874	14"		Two 60w
PM 4886	16"		Three 60w
PM 4962	12"	... design on white ceramic glass	Two 60w
PM 4964	14"		Two 60w
PM 4976	16"		Three 60w
PM 4963	12"	Same as 4962 ... with pull chain	Two 60w



PM 5475
PM 5478



PM 5727
PM 5729
W BLK



PM 5598



PM 5600
COP BLK



PM 5601
COP BLK



PM 5597
COP BLK

No.	Finish	Lamps		Width	Ht.	Extends
PM 5475	Satin Black	—	... post and lantern combination ... 2" dia. x 7' high post	7¾"	15¾"	—
PM 5478	Satin Black	—	... same as PM 5475 with automatic photo-electric ON-OFF switch	7¾"	15¾"	—
PM 5597 BLK PM 5597 COP	Satin Black Copper	One 75w	... stippled clear marine cylinder	5"	7¾"	5¾"
PM 5598	Satin Black	One 75w	... white ceramic glass	4¾"	8"	3¾"
PM 5600 BLK PM 5600 COP	Satin Black Copper	One 75w	... clear marine cylinder	5"	7¾"	5¼"
PM 5601 BLK PM 5601 COP	Satin Black Copper	One 75w	... clear marine cylinder	5"	8¼"	—
PM 5727 BLK PM 5727 W	Satin Black White	One 60w	... pebbled glass	7½"	3¾"	—
PM 5729 BLK PM 5729 W	Satin Black White	Two 60w		9¼"	3¾"	—



PM 3516
PM 3518
PM 3520



PM 3440
PM 3442



PM 3346
PM 3348
PM 3350



PM 3752




PM 3753



PM 3756



PM 3830



PM 3813


No.	Finish	Lamps		Dia.	Body Ht.
PM 3346 PM 3348 PM 3350	Chrome	One 60w Two 60w Two 75w	... ceramic fired, white glass drum	6 $\frac{3}{4}$ " 8 $\frac{1}{4}$ " 10 $\frac{1}{2}$ "	4 $\frac{3}{4}$ " 5" 5 $\frac{1}{4}$ "
PM 3440 PM 3442	Chrome	One 100w One 150w	... ceramic fired, white glass globe	6 $\frac{1}{2}$ " 8 $\frac{1}{4}$ "	8 $\frac{1}{4}$ " 8 $\frac{1}{4}$ "
PM 3516 PM 3518 PM 3520	Chrome	One 60w Two 60w Two 75w	... blown opal drum	6 $\frac{3}{4}$ " 8 $\frac{1}{4}$ " 10 $\frac{1}{2}$ "	4 $\frac{3}{4}$ " 5" 5 $\frac{1}{4}$ "
PM 3752	Pol. Brass	One 75w	... French crystal glass	5 $\frac{3}{4}$ "	6"
PM 3753	Pol. Brass	One 100w	... polished fluted crystal glass	4 $\frac{3}{4}$ "	6 $\frac{3}{8}$ "
PM 3756	Pol. Brass	One 60w	... French crystal glass	7 $\frac{1}{4}$ "	4 $\frac{1}{2}$ "
PM 3813	Pol. Brass	One 75w	... white ceramic glass ... switch ... knockout for c.o.	4"	7 $\frac{1}{4}$ "
PM 3830	Pol. Brass	One 75w	... crystal etched glass ... switch	Extends 4 $\frac{3}{8}$ "	8 $\frac{1}{2}$ "



PM 3075
PM 3076
PM 3077




PM 3080
PM 3081
PM 3082
PM 3083




PM 3032

PM 3012
PM 3013
PM 3023




PM 7329



PM 7332
PM 7333



No.	Finish	Lamps		Switch	Conv. Outlet	Width	Length
PM 3012	Chrome	Two 75w	... ribbed design on channel glass	—	Gnd.	4 $\frac{5}{8}$ "	13"
PM 3013		Two 75w		—	Yes	4 $\frac{5}{8}$ "	13"
PM 3023		Four 75w		—	Yes	4 $\frac{5}{8}$ "	23"
PM 3032	Chrome	One 75w	... ribbed design on ceramic glass	Yes	Yes	4"	7 $\frac{3}{4}$ "
PM 3075	Chrome	Two 75w	... ribbed design on ceramic glass	KO	Gnd.	6"	12"
PM 3076				KO	Yes		
PM 3077				Yes	Yes		
PM 3080	Chrome	One 75w	... ceramic fired white glass	—	Gnd.	4 $\frac{3}{4}$ "	5 $\frac{3}{4}$ "
PM 3081				—	—		
PM 3082				—	Yes		
PM 3083				Yes	Yes		
PM 7329 C	Chrome	Two lites—32w and 22w circlines ... rapid ballast				12"	4 $\frac{1}{4}$ "
PM 7332 C	Chrome	One 32w circline		... regular ballast		12"	3"
PM 7333 C	Chrome			... rapid ballast			



PM 3942



PM 3941



PM 6452

PM 6454


PM 6456



PM 6453

PM 6455

No.	Finish	Lamps		Ht.	Width	Housing Size
PM 3941 BR	Satin Brass	One 100w or R-30	... Solid aluminum ... adjustable ... indoor or outdoor use ... extends 10"	7 $\frac{7}{8}$ "	4 $\frac{3}{4}$ "	—
PM 3941 AL	Satin Aluminum					
PM 3942 BR	Satin Brass	Two 100w or R-30		7 $\frac{7}{8}$ "	18"	—
PM 3942 AL	Satin Aluminum					
PM 6452	Chrome	One 60w	... square recess box ... white ceramic glass	4 $\frac{1}{4}$ "	8 $\frac{1}{4}$ " sq.	6 $\frac{3}{4}$ " sq.
PM 6454		One 100w			9 $\frac{1}{4}$ " sq.	8" sq.
PM 6456		One 150w			11 $\frac{1}{4}$ " sq.	10" sq.
PM 6453	Chrome	One 60w	... rectangular recess box ... white ceramic glass	4 $\frac{1}{4}$ "	6 $\frac{1}{4}$ " x 9 $\frac{3}{16}$ "	4 $\frac{3}{4}$ " x 7 $\frac{3}{4}$ "
PM 6455		One 100w			8 $\frac{1}{4}$ " x 12 $\frac{3}{16}$ "	6 $\frac{3}{4}$ " x 10 $\frac{3}{4}$ "



HOUSE OF FIXTURES

Whether you're building one house—or putting up a whole community of homes—here's the ideal way to buy all your electrical fixtures, at a real saving of time and money! For Progress *Motion* Lighting packages in one convenient carton all the necessary fixtures for every room. There's a carton for the two-bedroom as well as the three-bedroom house—each containing attractively designed fixtures for bedrooms, dining room, hall, kitchen, bath and outside lantern. Economies effected by this manner of distribution make possible an extraordinarily low package-price. Which means more value in top quality Progress *Motion* Lighting fixtures!

No. 8602 Package—for 2-Bedroom House

Contains two No. PM 4962 W and one each Nos. PM 3348, PM 3082, PM 5600, PM 3753 and PM 4976.

No. 8603 Package—for 3-Bedroom House

Contains three No. PM 4962 W and one each Nos. PM 3348, PM 3082, PM 5600, PM 3753 and PM 4976.

CEILING DISPLAY



P 8816 Versatile Display is 4' x 4'. Sixteen 12" x 12" individual panels slide cleanly out of Display's aluminum channels, instantly and securely lock back in. Necessary pigtails and wire nuts provided for all electrical connections... Display is shipped with all parts necessary for rapid installation—suspension chains, S-hooks, screws, etc. Pre-wired with switch, cord and plug.



Two P 8816 Displays Shown Joined Together.

Very effective singly, PROGRESS Ceiling Displays easily combine to form larger, more dazzling Displays—side-to-side, back-to-back, L-shaped, etc., per diagrams shown.




PROGRESS displays ring up sales! Show a dazzling variety of well-made fixtures at pleasing prices... on displays as bright and eye-catching as they are compact and durable. Easy to install; easy to mount fixtures.

WALL DISPLAY




displays

EASY INSERT PANELS





P 8815 Display includes nine 8" x 11" coral, white and blue panels which anchor firmly in place. For fixture mounting, they lift out of Display... snap back in with the greatest of ease.




P 8815 Flexible, light weight, bright personality. Display will hold nine fixtures. Display outdoor lanterns, bathroom fixtures, wall brackets... "mix and match"... complete flexibility. Wood and aluminum construction. Nine electrical outlets, plus pigtails and wire nuts for all electrical connections. 24" x 39". Pre-wired with switch, cord and plug.

POST AND LANTERN DISPLAY



P 8821 New and interesting Post and Lantern Display. Accommodates three posts and lanterns with flexibility provided for attaching either square or round bottom posts. Pre-wired with switch, cord and plug. Unique picket-fence design permits joining of one or more displays for larger display or straight-line base featuring a continuous display of posts and lanterns.

RECESS DISPLAYS



P 8822 Floor standing display with three panels that demonstrate a variety of recess fixture shapes, finishes, frames and lenses. Sturdy, easy-to-assemble, delightfully multi-colored. Display is of strong, tubular steel and masonite panel construction. Shipped complete with 3 square, 1 rectangular and 5 round recess fixtures.



P 8823 Ceiling display with four panels that demonstrate an even greater variety of recess housings and frames. Shipped complete with 4 square, 1 rectangular and 7 round recess fixtures.




progress 107 progress 107 progress 107 progress 107 progress 107 progress

PROGRESS MANUFACTURING CO., INC. Philadelphia 34, Pennsylvania CABLE ADDRESS PROGCO

CONFIDENTIAL Contractor NET COST SHEET Dealer

Effective January 1, 1963























ZONE
A










































progress AND PROGRESS MOTION LIGHTING FIXTURES

- Prices are subject to change without notice. Merchandise is shipped at prices prevailing at time of shipment.
- Claims for shortage or damage in transit can only be filed directly with carriers.
- Lamps not included.
- Subject to Federal and State taxes.










PROGRESS MANUFACTURING CO., INC., Philadelphia 34, Pa . . . Cable Address, PROGCO
NATIONWIDE WAREHOUSE FACILITIES: ATLANTA • CHICAGO • CINCINNATI • DALLAS • DETROIT • LOS ANGELES • NEW YORK • MONTREAL, QUEBEC

Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net		
					1-5	6-more Asstd.	
BATHROOM FIXTURES — WALL MOUNTED — INCANDESCENT							
	P 3034	Chr., CO, 2-100w	47	12	3½	4.80	4.25
	P 3041	40w Lum'l'n, CO, Sw.	46	12	¾	2.65	2.35
	P 3061	60w Lum'l'n, CO, Sw.	46	12	1	2.85	2.55
	P 3063	Sw., CO, 1-100w	47	12	1	2.95	2.60
	P 3068	Chr., CO, 2-100w	48	12	2	4.75	4.20
	P 3079	Chr., CO, 3-60w	46	1	4½	11.65	10.30
	P 3090	Grnd. CO, 1-100w	47	24	1½	2.50	2.25
	P 3091	CO, 1-100w	47	24	1½	1.75	1.55
	P 3092	CO, w/PC, 1-100w	47	24	1½	2.10	1.90
	P 3113	13", CO, Sw., 2-60w	48	12	3	6.35	5.65
	P 3123	23", CO, Sw., 4-60w	48	1	5	8.45	7.45
	P 3116 (pr)	Set of two P3117 (LH & RH)	47	6 (pr.)	6 (pr.)	8.05 (pr.)	7.10 (pr.)
	P 3117	Chr., CO, 1-100w	47	12	2¾	4.00	3.55
	P 3137	13", CO, 2-100w	48	12	2¾	4.25	3.75
	P 3138	25", CO, 4-100w	48	6	4	6.40	5.70
	P 3139	13", CO, 2-100w	48	12	2¾	5.90	5.25
	P 3140	25", CO, 4-100w	48	6	4	7.95	7.05
	P 3141	36", CO, 6-100w	48	6	6	9.60	8.55
	P 3162	14", CO, 2-60w	48	6	2¼	6.40	5.65
	P 3163	21", CO, 3-60w	48	6	4½	7.90	7.00
	P 3166 CHR	6", CO, 1-60w	46	12	2	5.95	5.25
	P 3166 W		46	12	2	5.95	5.25
	P 3846	9", CO, Sw., 1-60w	46	12	¾	2.40	2.15
	P 3848	17", CO, 2-60w	46	3	1	3.40	3.00
	P 3855	Chr., CO, Sw., 1-60w	46	1	2	4.15	3.65
KITCHEN, BATH AND UTILITY — CEILING MOUNTED — INCANDESCENT							
	P 3206	6" dia., 1-60w	41	12	1¾	3.75	3.35
	P 3208	8" dia., 2-60w	41	12	2½	4.15	3.65
	P 3210	10" dia., 2-75w	41	6	4	5.65	5.00
	P 3212	12" dia., 3-60w	41	1	6	7.50	6.65
	P 3408 CHR	7" dia., 1-60w	40	12	1½	3.40	3.00
	P 3408 BR		40	12	1½	3.40	3.00
	P 3410 CHR	9¾" dia., 2-60w	40	6	2½	4.65	4.10
	P 3504	6" dia., 1-100w	47	12	1½	1.95	1.75
	P 3505	7¾" dia., 1-150w	47	6	2¾	2.35	2.05
	P 3506 CHR	6⅝" dia., 1-60w	47	12	2	2.35	2.05
	P 3506 AC		39	12	2	2.50	2.20
	P 3508 CHR	8⅝" dia., 2-60w	47	12	3¼	3.05	2.70
	P 3508 AC		39	12	3¼	3.20	2.85
	P 3510 CHR	10⅜" dia., 2-75w	47	6	4¾	4.05	3.60
	P 3510 AC		39	6	4¾	4.20	3.70
	P 3522 CHR	13¼" dia., 4-60w	39	1	3½	5.25	4.65
	P 3522 BR		39	1	3½	5.25	4.65
	P 3524	8⅜" dia., 1-75w	38	6	2¼	3.70	3.30
	P 3526	10⅝" dia., 2-60w	38	6	3½	5.20	4.65
	P 3528	12⅝" dia., 2-100w	38	6	4½	6.70	5.95
	P 3525	8⅝ sq., 1-75w	38	6	2¾	4.45	3.95
	P 3527	10⅝" sq., 2-60w	38	6	4	5.95	5.30
	P 3529	12⅝" sq., 2-100w	38	6	5¼	7.45	6.60






Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net		
					1-5	6-more Asstd.	
HALL AND FOYER — CEILING MOUNTED							
	P 3710	7¾" dia., 1-100w	35	12	1½	3.40	3.00
	P 3711	Pol. Brass, 1-100w	32	6	1¾	5.55	4.95
	P 3717	Pol. Brass, 1-75w	33	1	2¾	6.90	6.15
	P 3718	Pol. Brass, 1-75w	33	1	2½	6.15	5.45
	P 3720 BR	8⅜" sq., 2-60w	34	12	4	8.25	7.30
	P 3720 AL		34	12	4	8.25	7.30
	P 3721 BR	12" sq., 3-60w	34	6	8	10.90	9.65
	P 3721 AL		34	6	8	10.90	9.65
	P 3723	5½" dia., 1-100w	35	12	1	1.75	1.55
	P 3724	5½" dia., 1-100w	35	12	1¼	2.00	1.80
	P 3726	6½" dia., 1-60w	35	12	1¼	3.15	2.80
	P 3727	7½" dia., 1-60w	35	12	1¼	2.35	2.05
	P 3732	12" ht., 1-60w	32	1	2¾	10.05	8.90
	P 3738 GLD	8" dia., 1-100w	32	1	4	10.75	9.55
	P 3738 W		32	1	4	10.75	9.55
	P 3741 BR	10½" dia., 2-60w	34	1	3	4.90	4.35
	P 3741 AC		34	1	3	4.90	4.35
	P 3742 BR	12½" dia., 3-60w	34	1	4	5.65	5.05
	P 3742 AC		34	1	4	5.65	5.05
	P 3745	11" dia., 3-40w	31	1	8	28.30	25.10
	P 3747 CHR	6¾" dia., 1-60w	34	12	1¾	2.95	2.60
	P 3747 BR		34	12	1¾	2.95	2.60
	P 3747 COP		34	12	1¾	2.95	2.60
	P 3749 CHR	8¾" dia., 1-100w	34	6	3	4.15	3.65
	P 3749 BR		34	6	3	4.15	3.65
	P 3749 COP		34	6	3	4.15	3.65
	P 3759	Pol. Brass, 1-100w	32	12	1½	3.85	3.45
	P 3761	8½" dia., 1-60w	33	1	2	8.60	7.65
	P 3763	17" dia., 3-60w	30	1	8	24.65	21.85
	P 3765 AB	8½" dia., 1-60w	32	1	5	12.10	10.75
	P 3765 AC		32	1	5	12.10	10.75
	P 3766 BR	7½" dia., 1-100w	32	1	2	8.45	7.50
	P 3779	Pol. Brass, 3-40w	31	1	4½	12.80	11.35
	P 3780 AB	6" dia., 1-60w	32	1	3	10.00	8.90
	P 3783	Ant. Brass, 1-60w	33	1	3	11.65	10.35
	P 3788 BLK	10" dia., 3-40w	30	1	7	29.65	26.30
	P 3788 W		30	1	7	29.65	26.30
	P 3794	10" dia., 1-60w	33	1	3	12.10	10.75
	P 3796	18" dia., 3-60w	30	1	8	23.15	20.50
	P 3799	Pol. Brass, 1-60w	35	1	2½	3.70	3.30
	P 6913 BR	6½" ht., 1-100w	35	12	1	3.25	2.85
	P 6913 AL		35	12	1	3.25	2.85

























Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net		
					1-5	6-more Asstd.	
WALL MOUNTED BRACKETS							
	P 3807	Ant. Br., Sw., 1-100w	36	1	5	14.80	13.15
	P 3821 BR	Pol. Br., Sw., 1-40w	17	1	3	14.15	12.55
	P 3822 BR	Pol. Br., Sw., 2-40w	17	1	4	19.25	17.05
	P 3831	Pol. Br., Sw., 1-75w	36	1	2¼	9.30	8.25
	P 3845	Crystals, Sw., 2-40w	36	1	5	18.90	16.75
	P 3846	9", CO, Sw., 1-60w	46	12	¾	2.40	2.15
	P 3848	17", CO, 2-60w	46	3	1	3.40	3.00
	P 3854	Pol. Brass, Sw., 1-60w	37	1	2	4.15	3.65
	P 3855	Chrome, Sw., CO, 1-60w	46	1	2	4.15	3.65
	P 3856	Pol. Brass, Sw., 1-100w	37	12	1¼	3.10	2.75
	P 3861	6" dia., Sw., 1-60w	37	1	3	11.45	10.15
	P 3862	15" dia., Sw., 2-60w	37	1	4	18.85	16.75
	P 3865 AB	7" dia., Sw., 1-60w	36	1	4	11.15	9.85
	P 3865 AC	7" dia., Sw., 1-60w	36	1	4	11.15	9.85
	P 3871 BR	7½" dia., Sw., 1-100w	36	1	2¾	9.60	8.55
	P 3871 AC	7½" dia., Sw., 1-100w	36	1	2¾	9.85	8.70
	P 3876	7" dia., Sw., 1-60w	37	1	3	10.75	9.55
	P 3881 AB	6" dia., Sw., 1-60w	36	1	3	10.40	9.20
	P 3888 BLK	15½" ht., Sw., 1-40w	36	1	4	12.80	11.35
	P 3888 W	15½" ht., Sw., 1-40w	36	1	4	12.80	11.35
	P 3895	7" dia., Sw., 1-60w	36	1	3	11.30	10.05

ADJUSTABLE BULBETS

 P 3951 BLK	1-100w or R-30	37	1	1 1/2	4.05	3.60
 P 3951 W	1-100w or R-30	37	1	1 1/2	4.05	3.60
 P 3951 BR	1-100w or R-30	37	1	1 1/2	4.75	4.20
 P 3951 COP	1-100w or R-30	37	1	1 1/2	4.75	4.20
 P 3952 BLK	2-100w or R-30	37	1	2 1/2	6.75	6.00
 P 3952 W	2-100w or R-30	37	1	2 1/2	6.75	6.00
 P 3952 BR	2-100w or R-30	37	1	2 1/2	7.80	6.90
 P 3952 COP	2-100w or R-30	37	1	2 1/2	7.80	6.90
 P 3991	1-100w or R-30	37	1	1	5.75	5.10
P 3992	2-100w or R-30	37	1	1 3/4	9.35	8.30












CHANDELIERS, PULDDOWNS AND PENDANTS

 P 4000 W	Traverse Track	26	1	3 3/4	7.95	7.05
 P 4000 BR	Traverse Track	26	1	3 3/4	8.75	7.75
 P 4020 BR	22" dia., 5-40w	17	1	9	34.45	30.55
 P 4024 BR	14" dia., 3-60w	41	1	4 1/2	8.75	7.75
 P 4024 COP	14" dia., 3-60w	41	1	4 1/2	8.75	7.75
P 4024 W	14" dia., 3-60w	41	1	4 1/2	8.35	7.40
P 4026 BR	17" dia., 4-60w	41	1	6	9.90	8.75
P 4026 COP	17" dia., 4-60w	41	1	6	9.90	8.75
P 4026 W	17" dia., 4-60w	41	1	6	9.50	8.45

Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.
 P 4030	20" dia., 5-60w	16	1	11	33.75	29.95
 P 4103	Ant. Br., 3-100w	11	1	18	53.85	47.75
 P 4104	Ant. Br., 50/200/250w	11	1	9	32.05	28.40
 P 4105	Ant. Br., 50/200/250w	11	1	8	28.30	25.10
 P 4106	Ant. Br., 1-100w	11	1	8	21.95	19.45
 P 4121	Pol. Br., 4-60w	28	1	10	18.40	16.30
 P 4182 AC	18" dia., 50/200/250w	23	1	8 1/2	21.40	18.95
 P 4182 BR	18" dia., 50/200/250w	23	1	8 1/2	20.65	18.30
 P 4182 AB	18" dia., 50/200/250w	23	1	8 1/2	21.40	18.95
 P 4183 AC	18" dia., 50/200/250w	23	1	7	18.70	16.55
 P 4183 BR	18" dia., 50/200/250w	23	1	7	17.95	15.90
 P 4183 AB	18" dia., 50/200/250w	23	1	7	18.70	16.55
 P 4201	Hanger only, 1-lite	19	12	1	2.55	2.25
 P 4202	Hanger only, 2-lite	19	6	1 1/2	4.90	4.35
 P 4203	Hanger only, 3-lite	19	6	2	7.40	6.55
 P 4204	Chain hanger kit, 1-lite	19	3	4	7.15	6.30
 P 4205	Hanger only, 5-lite	19	3	3	12.50	11.10
 P 4206 BR	Pendant only, 1-100w	21	6	1 1/2	2.95	2.60
 P 4206 W	Pendant only, 1-100w	21	6	1 1/2	2.65	2.35
 P 4313 BR	18" dia., 4-60w	28	1	8	16.15	14.30
 P 4313 COP	18" dia., 4-60w	28	1	8	16.15	14.30
 P 4314 BR	18" dia., 4-60w	28	1	5 1/2	11.25	10.00
 P 4314 COP	18" dia., 4-60w	28	1	5 1/2	11.25	10.00
 P 4320	9 1/2" dia., 1-100w	29	1	6 1/2	16.90	14.95
P 4322	17 1/2" dia., 1-150w	29	1	9	25.90	22.95
P 4323	22" dia., 5-60w	29	1	8	20.40	18.10
P 4404 BLK	Pendant only, 1-100w	21	6	1 3/4	5.75	5.10
P 4404 W	Pendant only, 1-100w	21	6	1 3/4	5.75	5.10
P 4404 BR	Pendant only, 1-100w	21	6	1 3/4	6.90	6.15
P 4407 GLD	Pendant only, 10" dia., 1-100w	21	1	8	12.45	11.05
P 4407 W	Pendant only, 10" dia., 1-100w	21	1	8	12.45	11.05
P 4438 GLD	8" dia., 1-100w	21	1	4	8.75	7.75
P 4438 W	8" dia., 1-100w	21	1	4	8.75	7.75
P 4426	Pendant only, 1-100w	20	3	3	6.75	5.95
P 4431	Pendant only, 1-100w	21	3	2 3/4	7.60	6.75
P 4433	Pendant only, 1-100w	21	3	4	10.45	9.25
P 4437	Pendant only, 1-100w	20	6	2 1/2	4.00	3.55
P 4441	Pendant only, 1-100w	20	3	3 1/2	11.30	10.05
P 4442	Pendant only, 1-100w	20	3	4	11.30	10.05
P 4445	20" dia., 5-40w	13	1	12	47.25	41.90

Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.

CHANDELIERS, PULLDOWNS AND PENDANTS (Cont.)

	P 4447 AL	8" dia., 1-100w	40	1	3	6.45	5.70
	P 4447 BR		40	1	3	6.45	5.70
	P 4448 AL	10" dia., 1-150w	40	1	4	7.80	6.90
	P 4448 BR		40	1	4	7.80	6.90
	P 4449 AL	12" dia., 1-200w	40	1	6	9.45	8.40
	P 4449 BR		40	1	6	9.45	8.40
	P 4450 AL	13½" dia., 1-100w	40	1	3	6.45	5.70
	P 4450 BR		40	1	3	6.45	5.70
	P 4456 BLK	21" dia., 5-40w	7	1	13	42.50	37.70
	P 4456 W		7	1	13	42.50	37.70
	P 4460	24" dia., 5-60w	8	1	12	50.65	44.90
	P 4461	15" dia., 50/200/250w	9	1	7	22.25	19.70
	P 4462	15" dia., 50/200/250w	9	1	8	26.65	23.65
	P 4465 AB	24" dia., 5-60w	10	1	13	52.35	46.40
	P 4465 AC		10	1	13	52.35	46.40
	P 4468 AC	14" dia., 50/200/250w	22	1	8	17.65	15.65
	P 4468 BR		22	1	8	16.90	14.95
	P 4469 AC	14" dia., 50/200/250w	22	1	9	22.15	19.60
	P 4469 BR		22	1	9	21.40	18.95
	P 4470 AC	8¾" dia., 1-100w	22	1	3½	12.00	10.65
	P 4470 BR		22	1	3½	11.40	10.10
	P 4479	Pendant only, 1-100w	20	6	3	4.00	3.55
	P 4481	Pendant only, 1-100w	21	6	3	4.70	4.15
	P 4485 AB	23" dia., 5-60w	14	1	10	37.45	33.20
	P 4500	21" dia., 4-60w	26	1	12	26.25	23.30
	P 4501	20" dia., 50/100/150w	26	1	8	20.95	18.55
	P 4505	23" dia., 5-60w	15	1	11	45.85	40.65
	P 4510 BR	21" dia., 4-60w	23	1	10	26.95	23.85
	P 4510 AC		23	1	10	26.95	23.85
	P 4519 BR	12" dia., 30/70/100w	25	1	4½	11.95	10.55
	P 4519 AC		25	1	4½	12.70	11.25
	P 4519 AB		25	1	4½	12.70	11.25
	P 4520 BR	12" dia., 1-100w	25	1	4	7.45	6.60
	P 4520 AC		25	1	4	8.20	7.25
	P 4520 AB		25	1	4	8.20	7.25
	P 4521 BR	12" dia., 1-100w	25	1	3½	7.05	6.25
	P 4521 AC		25	1	3½	7.90	7.00
	P 4521 AB		25	1	3½	7.90	7.00
	P 4522 BR	15" dia., 50/200/250w	25	1	7	13.50	11.95
	P 4522 AC		25	1	7	14.25	12.65
	P 4522 AB		25	1	7	14.25	12.65
	P 4523 BR	15" dia., 50/200/250w	25	1	7¾	18.00	15.95
	P 4523 AC		25	1	7¾	18.75	16.65
	P 4523 AB		25	1	7¾	18.75	16.65
	P 4556 GM	15" dia., 1-150w	27	1	5	9.40	8.30
	P 4556 BR		27	1	5	10.15	9.00
	P 4558 GM	15" dia., 1-150w	27	1	4	5.65	5.00
	P 4558 BR		27	1	4	6.40	5.65
	P 4580 W	14" dia., 50/200/250w	24	1	7	22.45	19.90
	P 4581 W	14" dia., 50/200/250w	24	1	7¾	26.20	23.20
	P 4586	19" dia., 3-60w	27	1	6¼	25.45	22.55
	P 4589	18" dia., 4-60w	27	1	4½	14.85	13.15
	P 4595	24" dia., 5-60w	12	1	11½	52.00	46.10

SA-Solid Aluminum































CA-Cast Aluminum

SB-Solid Brass









SC-Solid Copper

Cat. No.	Description	Cat. Pg. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.

BENT GLASS — ROUNDS, SQUARES AND ROUNDED SQUARES

	P 4657	18" dia., 3-60w	50	1	7	10.10	8.95
	P 4658	18" dia., 3-60w	50	1	7	10.10	8.95
	P 4693	13" dia., 2-60w	52	6	2¾	2.95	2.60
	P 4695	15" dia., 3-60w	52	6	4	4.05	3.60
	P 4700	15" dia., 3-60w	51	1	4½	7.90	7.00
	P 4701	15" dia., 3-60w	51	1	4½	7.90	7.00
	P 4705	15" dia., 3-60w	50	1	5½	10.10	8.95
	P 4712	12" sq., 2-60w	52	12	2¼	2.20	1.95
	P 4714	14" sq., 3-60w	52	6	2¾	3.45	3.05
	P 4716	16" sq., 4-60w	52	6	4¼	4.90	4.30
	P 4713	13" dia., 2-60w	52	6	2¼	4.20	3.70
	P 4715	15" dia., 3-60w	52	6	4	5.40	4.80
	P 4735 BR	15" dia., 3-60w	53	6	3½	6.85	6.10
	P 4738 BR	18" dia., 4-60w	53	1	6	9.30	8.25
	P 4818	17" dia., 4-60w	50	1	6	9.35	8.30
	P 4824	14" sq., 3-60w	53	6	4	6.65	5.90
	P 4834	14" sq., 3-60w	53	6	4	6.65	5.90
	P 4842	12" sq., 2-60w	52	6	2¼	2.85	2.55
	P 4844	14" sq., 3-60w	52	6	3	4.25	3.75
	P 4855 BR	15" dia., 3-60w	53	6	4	6.05	5.35
	P 4855 CHR		53	6	4	6.05	5.35
	P 4858 BR	18" dia., 4-60w	53	1	6½	7.75	6.85
	P 4858 CHR		53	1	6½	7.75	6.85
	P 4884	15" dia., 3-60w	51	1	4½	8.45	7.45
	P 4885	15" dia., 3-60w	51	1	4½	8.45	7.45
	P 4894	14" dia., 3-60w	52	6	4	6.20	5.50
	P 4897	17" dia., 4-60w	52	1	7	8.20	7.25
	P 4928	17" dia., 4-60w	53	1	6½	9.35	8.30
	P 4942	12" dia., 2-60w	53	12	2	2.40	2.15
	P 4944	15" dia., 3-60w	53	12	4	3.50	3.10
	P 4946	17" dia., 4-60w	53	6	6	4.40	3.90
	P 4952	12" sq., 2-60w	52	12	2¼	2.20	1.95
	P 4954	14" sq., 3-60w	52	6	2¾	3.45	3.05
	P 4956	16" sq., 4-60w	52	6	4¼	4.90	4.30
	P 4958	15¾" dia., 3-60w	51	1	7	6.25	5.55

LANDSCAPE LITES — PORTABLE AND STATIONARY

	P 5226	Drive Lite	64	1	3	6.70	5.95
	P 5227	Portable Drive Lite, CO	64	1	3	9.10	8.10
POSTS							
	P 5300 BLK	Adj. Post, 3" dia. SA	60	1	6	8.25	7.30
	P 5300 W		60	1	6	8.25	7.30
	P 5301 BLK	Adj. Post, CO, 3" dia. SA	60	1	6	9.75	8.65
	P 5301 W		60	1	6	9.75	8.65
	P 5303 BLK	Adj. Post, 3" dia. SA	60	1	5½	11.95	10.55
	P 5303 W		60	1	5½	11.95	10.55
	P 5304 BLK	Adj. Post, 3" dia. SA	60	1	6	14.95	13.25
	P 5304 W		60	1	6	14.95	13.25
	P 5309 BLK	5¼" sq., 3" collar	60	1	17	10.45	9.25
	P 5309 W		60	1	17	10.90	9.65
	P 5391	Post, 3" dia. SA	60	1	5½	5.95	5.25
	P 5392	Post, CO, 3" dia. SA	60	1	5½	7.45	6.60
	P 5394	Post, On-Off Sw., 3" dia. SA	60	1	5½	11.95	10.55

CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE
P 5425	63	11.00	P 5731 BLK	68	7.65	P 5975	69	4.75	P 7502	49	2.45
P 5428 BLK	62	30.95	P 5731 W	68	7.65	P 5978	68	14.25	P 7503	49	3.55
P 5428 W	62	30.95	P 5735	68	2.80	P 7121	49	14.45	P 7504	49	4.20
P 5438 BLK	62	33.95	P 5776 AC	69	3.55	P 7141	49	22.10	P 7520	49	2.80
P 5438 W	62	33.95	P 5776 BLK	69	2.90	P 7182	43	20.55	P 7521	49	3.00
P 5481 BLK	63	12.75	P 5846 BLK	67	20.50	P 7185	43	26.55	P 7522	49	3.35
P 5481 W	63	12.75	P 5846 W	67	20.50	P 7192	43	34.40	P 7523	49	4.45
P 5490	63	11.00	P 5875 W	67	9.65	P 7195	43	45.45	P 7524	49	5.10
P 5491	63	15.00	P 5875 BLK	67	9.65	P 7322 CHR	42	5.75	P 8700	56	.45
P 5566 AC	69	5.00	P 5948 AC	69	2.75	P 7323	42	7.40	P 8701	58	.55
P 5566 BLK	69	5.00	P 5948 BLK	69	2.10	P 7329 CHR	42	10.30	P 8717	59	1.65
P 5589	67	5.40	P 5953 BLK	67	11.00	P 7329 COP	42	10.55	P 8720	44	63.95
P 5719 BLK	65	21.65	P 5953 W	67	11.00	P 7332 CHR	42	6.65	P 8721	44	81.70
P 5719 W	65	21.65	P 5959	66	9.10	P 7332 W	42	6.20	P 8722	44	151.85
P 5720	66	11.65	P 5960 BLK	68	4.35	P 7333 CHR	42	7.65	P 8725 BLK	64	8.35
P 5721 BLK	65	17.65	P 5960 W	68	4.35	P 7333 W	42	7.20	P 8725 W	64	8.35
P 5721 W	65	17.65	P 5961 BLK	68	4.35	P 7352 CHR	42	12.70	P 8726 BLK	64	6.65
P 5722 BLK	65	13.00	P 5962	68	8.55	P 7353 CHR	42	17.65	P 8726 W	64	6.65
P 5723 BLK	65	19.85	P 5963	68	8.55	P 7356	42	16.65	P 8750 BLK	64	9.50
P 5723 W	65	19.85	P 5964	66	9.75	P 7357	42	21.10	P 8750 W	64	9.50
P 5724 BLK	65	19.45	P 5965	68	10.00	P 7424	49	6.45	P 8752	64	9.00
P 5724 W	65	19.45	P 5966 BLK	67	8.25	P 7425	49	9.45	P 8762	70	3.20
P 5727 BLK	69	4.25	P 5966 W	67	8.25	P 7437	49	12.95	P 8763	70	4.20
P 5727 W	69	4.25	P 5967	66	6.65	P 7449	49	14.00	P 8765	70	35.00
P 5729 BLK	69	5.20	P 5968	69	5.85	P 7451	49	5.95	P 8767	70	17.90
P 5729 W	69	5.20	P 5969	66	11.75	P 7456	49	6.10			
P 5730 BLK	68	6.55	P 5970	68	5.65	P 7500	49	2.00			
P 5730 W	68	6.55	P 5974	69	2.55	P 7501	49	2.20			

RECESSED LIGHTING FIXTURES

COMPLETE WITH HOUSING AND FRAME

P 6402	56	5.35
P 6403	56	5.35
P 6404	56	6.20
P 6405	56	6.20
P 6406	56	7.65
P 6412	56	7.00
P 6413	56	7.00
P 6414	56	7.90
P 6415	56	7.90
P 6416	56	9.30
P 6422	56	8.65
P 6424	56	9.75
P 6426	56	11.55
P 6432	56	7.00
P 6434	56	8.10
P 6436	56	9.90

HOUSINGS, ONLY

P 6685	58	6.85
P 6695	58	4.55
P 6700	57	5.45
P 6710	57	6.20

FRAMES, ONLY

P 6630 C	57	3.55
P 6630 BR	57	3.55
P 6630 COP	57	3.55
P 6630 P	57	2.80
P 6630 AL	57	4.65
P 6631 C	57	5.45
P 6631 BR	57	5.45
P 6631 COP	57	5.45
P 6631 P	57	4.65
P 6631 AL	57	6.55
P 6633	57	10.00
P 6640 C	57	4.65
P 6640 BR	57	4.65
P 6640 COP	57	4.65
P 6640 P	57	3.90
P 6640 AL	57	5.75

P 6641 C	57	6.55
P 6641 BR	57	6.55
P 6641 COP	57	6.55
P 6641 P	57	5.75
P 6641 AL	57	7.65
P 6643	57	12.20
P 6660 C	58	3.65
P 6660 BR	58	3.65
P 6660 P	58	3.35
P 6661 C	58	4.45
P 6661 BR	58	4.45
P 6661 P	58	4.10
P 6662 C	58	4.45
P 6662 BR	58	4.45
P 6662 P	58	4.10
P 6664 C	58	3.55
P 6664 BR	58	3.55
P 6664 P	58	3.20
P 6671 C	58	2.35
P 6671 BR	58	2.35
P 6671 P	58	2.00
P 6672 C	58	2.35
P 6672 BR	58	2.35
P 6672 P	58	2.00
P 6676 BR	58	8.45
P 6676 AL	58	8.45
P 6677 BR	58	9.75
P 6677 AL	58	9.75

HI-HATS, SHOWER LITES

P 6913 BR	59	4.75
P 6913 AL	59	4.75
P 6915	59	6.45
P 6917	59	4.90
P 6918	59	6.20
P 6919	59	5.40
P 6920	59	6.75

RECESSED FLUORESCENT

P 7210	59	16.55
P 7211	59	19.85
P 7230	59	20.55
P 7231	59	24.10

PROGRESS MOTION LIGHTING FIXTURES

PM 3012	77	4.65
PM 3013	77	4.10
PM 3023	77	7.45
PM 3032	77	4.05
PM 3075	77	3.10
PM 3076	77	2.55
PM 3077	77	3.10
PM 3080	77	2.55
PM 3081	77	1.90
PM 3082	77	2.10
PM 3083	77	2.65
PM 3346	76	2.55
PM 3348	76	3.55
PM 3350	76	4.75
PM 3440	76	2.50
PM 3442	76	2.90
PM 3516	76	3.10
PM 3518	76	4.10
PM 3520	76	5.20
PM 3752	76	2.05
PM 3753	76	1.75
PM 3756	76	2.50
PM 3813	76	3.65
PM 3830	76	3.10
PM 3941 BR	78	5.45
PM 3941 AL	78	5.45
PM 3942 BR	78	9.65
PM 3942 AL	78	9.65
PM 4010	73	23.50
PM 4216 BR	72	12.75
PM 4216 COP	72	12.75
PM 4216 BLK	72	11.55
PM 4216 W	72	11.55
PM 4218 BR	72	15.95
PM 4218 COP	72	15.95
PM 4223 BR	73	8.75
PM 4223 AC	73	8.75
PM 4224 BR	73	7.90
PM 4224 AC	73	7.90
PM 4238 BR	72	5.20
PM 4238 COP	72	5.20

PM 4238 W	72	4.90
PM 4239 BR	72	6.65
PM 4239 COP	72	6.65
PM 4239 W	72	5.95
PM 4672	74	3.45
PM 4682 GLD	74	2.90
PM 4682 SIL	74	2.90
PM 4684 GLD	74	3.65
PM 4742	74	2.55
PM 4743	74	3.35
PM 4744	74	3.55
PM 4872	74	2.90
PM 4874	74	3.70
PM 4886	74	5.45
PM 4962	74	1.80
PM 4963	74	2.55
PM 4964	74	2.50
PM 4976	74	4.10
PM 5475	75	16.30
PM 5478	75	25.20
PM 5597 BLK	75	2.60
PM 5597 COP	75	2.60
PM 5598	75	4.75
PM 5600 BLK	75	1.70
PM 5600 COP	75	1.70
PM 5601 BLK	75	1.70
PM 5601 COP	75	1.70
PM 5727 BLK	75	4.25
PM 5727 W	75	4.25
PM 5729 BLK	75	5.20
PM 5729 W	75	5.20
PM 6452	78	4.65
PM 6453	78	4.65
PM 6454	78	5.55
PM 6456	78	7.00
PM 6455	78	5.55
PM 7329 CHR	77	10.30
PM 7332 CHR	77	6.65
PM 7333 CHR	77	7.65
PM 8602	78	18.40
PM 8603	78	20.20

5475
Black



progress AND PROGRESS motion

CATALOG No. 107

LAMPS NOT INCLUDED

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE






















SUBJECT TO FEDERAL AND STATE TAXES

CONSUMER PRICE LIST















Effective January 1, 1963





























ZONE A

CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE	CAT. NO.	PAGE	PRICE
P 3034	47	7.10	P 3749 COP	34	6.10	P 4204	19	10.55	P 4556 BR	27	15.00
P 3041	46	3.90	P 3759	32	5.75	P 4205	19	18.50	P 4558 GM	27	8.35
P 3061	46	4.25	P 3761	33	12.75	P 4206 BR	21	4.35	P 4558 BR	27	9.45
P 3063	47	4.35	P 3763	30	36.45	P 4206 W	21	3.95	P 4580 W	24	33.20
P 3068	48	7.00	P 3765 AB	32	17.95	P 4313 BR	28	23.85	P 4581 W	24	38.75
P 3079	46	17.25	P 3765 AC	32	17.95	P 4313 COP	28	23.85	P 4586	27	37.65
P 3090	47	3.75	P 3766 BR	32	12.50	P 4314 BR	28	16.65	P 4589	27	22.00
P 3091	47	2.60	P 3779	31	18.95	P 4314 COP	28	16.65	P 4595	12	77.00
P 3092	47	3.15	P 3780 AB	32	14.85	P 4320	29	25.00	P 4657	50	14.95
P 3113	48	9.40	P 3783	33	17.25	P 4322	29	38.30	P 4658	50	14.95
P 3116 (pr.)	47	11.90	P 3788 BLK	30	43.90	P 4323	29	30.20	P 4693	52	4.35
P 3117	47	5.95	P 3788 W	30	43.90	P 4404 BLK	21	8.50	P 4695	52	6.00
P 3123	48	12.50	P 3794	33	17.95	P 4404 W	21	8.50	P 4700	51	11.65
P 3137	48	6.30	P 3796	30	34.25	P 4404 BR	21	10.25	P 4701	51	11.65
P 3138	48	9.50	P 3799	35	5.50	P 4407 GLD	21	18.45	P 4705	50	14.95
P 3139	48	8.75	P 3807	36	21.95	P 4407 W	21	18.45	P 4712	52	3.20
P 3140	48	11.75	P 3821 BR	17	20.95	P 4426	20	9.95	P 4713	52	6.20
P 3141	48	14.25	P 3822 BR	17	28.45	P 4431	21	11.25	P 4714	52	5.10
P 3162	48	9.45	P 3831	36	13.75	P 4433	21	15.45	P 4715	52	8.00
P 3163	48	11.65	P 3845	36	27.95	P 4437	20	5.95	P 4716	52	7.20
P 3166 CHR	46	8.75	P 3846	46	3.55	P 4438 GLD	21	12.95	P 4735 BR	53	10.15
P 3166 W	46	8.75	P 3848	46	5.00	P 4438 W	21	12.95	P 4738 BR	53	13.80
P 3206	41	5.55	P 3854	37	6.10	P 4441	20	16.75	P 4818	50	13.85
P 3208	41	6.10	P 3855	46	6.10	P 4442	20	16.75	P 4824	53	9.80
P 3210	41	8.35	P 3856	37	4.55	P 4445	13	69.95	P 4834	53	9.80
P 3212	41	11.10	P 3861	37	16.95	P 4447 AL	40	9.55	P 4842	52	4.25
P 3408 CHR	40	5.00	P 3862	37	27.95	P 4447 BR	40	9.55	P 4844	52	6.30
P 3408 BR	40	5.00	P 3865 AB	36	16.45	P 4448 AL	40	11.55	P 4855 BR	53	8.95
P 3410 CHR	40	6.85	P 3865 AC	36	16.45	P 4448 BR	40	11.55	P 4855 CHR	53	8.95
P 3504	47	2.90	P 3871 BR	36	14.25	P 4449 AL	40	14.00	P 4858 BR	53	11.45
P 3505	47	3.45	P 3871 AC	36	14.55	P 4449 BR	40	14.00	P 4858 CHR	53	11.45
P 3506 CHR	47	3.45	P 3876	37	15.95	P 4450 AL	40	9.55	P 4884	51	12.50
P 3506 AC	39	3.65	P 3881 AB	36	15.40	P 4450 BR	40	9.55	P 4885	51	12.50
P 3508 CHR	47	4.50	P 3888 BLK	36	18.95	P 4456 BLK	7	62.90	P 4894	52	9.20
P 3508 AC	39	4.75	P 3888 W	36	18.95	P 4456 W	7	62.90	P 4897	52	12.10
P 3510 CHR	47	5.95	P 3895	36	16.75	P 4460	8	74.95	P 4928	53	13.85
P 3510 AC	39	6.20	P 3951 BLK	37	6.00	P 4461	9	32.90	P 4942	53	3.55
P 3522 CHR	39	7.75	P 3951 W	37	6.00	P 4462	9	39.45	P 4944	53	5.20
P 3522 BR	39	7.75	P 3951 BR	37	7.00	P 4465 AB	10	77.50	P 4946	53	6.50
P 3524	38	5.50	P 3951 COP	37	7.00	P 4465 AC	10	77.50	P 4952	52	3.20
P 3525	38	6.60	P 3952 BLK	37	10.00	P 4468 AC	22	26.10	P 4954	52	5.10
P 3526	38	7.75	P 3952 W	37	10.00	P 4468 BR	22	25.00	P 4956	52	7.20
P 3527	38	8.85	P 3952 BR	37	11.50	P 4469 AC	22	32.75	P 4958	51	9.25
P 3528	38	9.95	P 3952 COP	37	11.50	P 4469 BR	22	31.65	P 5226	64	9.95
P 3529	38	11.05	P 3991	37	8.50	P 4470 AC	22	17.75	P 5227	64	13.50
P 3710	35	5.00	P 3992	37	13.85	P 4470 BR	22	16.85	P 5300 BLK	60	12.20
P 3711	32	8.25	P 4000 W	26	11.75	P 4479	20	5.95	P 5300 W	60	12.20
P 3717	33	10.25	P 4000 BR	26	12.95	P 4481	21	6.95	P 5301 BLK	60	14.45
P 3718	33	9.10	P 4020 BR	17	51.00	P 4485 AB	14	55.40	P 5301 W	60	14.45
P 3720 BR	34	12.20	P 4024 BR	41	12.95	P 4500	26	38.85	P 5303 BLK	60	17.65
P 3720 AL	34	12.20	P 4024 COP	41	12.95	P 4501	26	30.95	P 5303 W	60	17.65
P 3721 BR	34	16.10	P 4024 W	41	12.40	P 4505	15	67.90	P 5304 BLK	60	22.10
P 3721 AL	34	16.10	P 4026 BR	41	14.65	P 4510 BR	23	39.85	P 5304 W	60	22.10
P 3723	35	2.55	P 4026 COP	41	14.65	P 4510 AC	23	39.85	P 5309 BLK	60	15.45
P 3724	35	2.95	P 4026 W	41	14.05	P 4519 BR	25	17.65	P 5309 W	60	16.10
P 3726	35	4.65	P 4030	16	49.95	P 4519 AC	25	18.75	P 5391	60	8.75
P 3727	35	3.45	P 4103	11	79.70	P 4519 AB	25	18.75	P 5392	60	11.00
P 3732	32	14.85	P 4104	11	47.45	P 4520 BR	25	11.00	P 5394	60	17.65
P 3738 GLD	32	15.95	P 4105	11	41.90	P 4520 AC	25	12.10	P 5401 BLK	61	23.95
P 3738 W	32	15.95	P 4106	11	32.45	P 4520 AB	25	12.10	P 5401 W	61	23.95
P 3741 BR	34	7.25	P 4121	28	27.20	P 4521 BR	25	10.45	P 5402 BLK	61	28.75
P 3741 AC	34	7.25	P 4182 AC	23	31.65	P 4521 AC	25	11.65	P 5402 W	61	28.75
P 3742 BR	34	8.40	P 4182 BR	23	30.55	P 4521 AB	25	11.65	P 5403 BLK	61	30.95
P 3742 AC	34	8.40	P 4182 AB	23	31.65	P 4522 BR	25	20.00	P 5403 W	61	30.95
P 3745	31	41.90	P 4183 AC	23	27.65	P 4522 AC	25	21.10	P 5405	62	25.55
P 3747 CHR	34	4.35	P 4183 BR	23	26.55	P 4522 AB	25	21.10	P 5406 BLK	61	32.20
P 3747 BR	34	4.35	P 4183 AB	23	27.65	P 4523 BR	25	26.65	P 5406 W	61	32.20
P 3747 COP	34	4.35	P 4201	19	3.75	P 4523 AC	25	27.75	P 5412	63	14.45
P 3749 CHR	34	6.10	P 4202	19	7.25	P 4523 AB	25	27.75	P 5416	62	17.95
P 3749 BR	34	6.10	P 4203	19	10.95	P 4556 GM	27	13.90	P 5419	63	15.75









Cat. No.	Description	Cat. Pg. No.	Std. Pack	Shp. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.
POST LANTERNS						
 P 5401 BLK	Clear glass, 17" ht. CA	61	1	7	16.15	14.35
 P 5401 W		61	1	7	16.15	14.35
 P 5402 BLK	Clear glass, 20½" ht. CA	61	1	8½	19.45	17.20
 P 5402 W		61	1	8½	19.45	17.20
 P 5403 BLK	Clear glass, 23½" ht. CA	61	1	9	20.95	18.55
 P 5403 W		61	1	9	20.95	18.55
 P 5405	Opal glass, 22½" ht. CA	62	1	9	17.25	15.30
 P 5406 BLK	Clear glass, 23" ht. CA	61	1	12	21.75	19.30
 P 5406 W		61	1	12	21.75	19.30
 P 5412	Crystal glass, 12½" ht. SA	63	1	4	9.75	8.65
 P 5416	Opal globe, 14½" ht. SA	62	1	5	12.10	10.75
 P 5419	Stipple globe, 13¼" ht. SA	63	1	9	10.65	9.45
 P 5425	Ribbed glass, 12½" ht. SA	63	1	4½	7.45	6.60
 P 5428 BLK	Bev'd glass, 21½" ht. SB	62	1	8	20.95	18.55
 P 5428 W		62	1	8	20.95	18.55
 P 5438 BLK	Bev'd glass, 18" ht. SB	62	1	7	22.95	20.35
 P 5438 W		62	1	7	22.95	20.35
 P 5481 BLK	Clear glass, 16¾" ht. SA	63	1	5¼	8.65	7.65
 P 5481 W		63	1	5¼	8.65	7.65
 P 5491	Clear glass, 19" ht. SA	63	1	5½	10.15	9.00
 P 5490	Clear glass, 15¼" ht. SA	63	1	4	7.45	6.60

PORCH LANTERNS — CEILING AND WALL — INDOOR AND OUTDOOR

 P 5566 AC	Frosted glass, 7" ht. SC	69	24	1¼	3.40	3.00
 P 5566 BLK		69	24	1¼	3.40	3.00
 P 5589	Crystal globe, 13" ht. CA	67	1	2	3.65	3.25
 P 5719 BLK	Clear glass, 15½" ht. CA	65	1	5½	14.65	12.95
 P 5719 W		65	1	5½	14.65	12.95
 P 5720	Opalescent, 10" ht. CA	66	1	4	7.90	7.00
 P 5721 BLK	Bev'd glass, 10½" ht. CA	65	1	5	11.95	10.55
 P 5721 W		65	1	5	11.95	10.55
 P 5722 BLK	Fluted globe, 11" ht. CA	65	1	5	8.80	7.80
 P 5723 BLK	Clear glass, 14½" ht. CA	65	1	5½	13.45	11.90
 P 5723 W		65	1	5½	13.45	11.90
 P 5724 BLK	Clear glass, 13½" ht. CA	65	1	5	13.15	11.65
 P 5724 W		65	1	5	13.15	11.65
 P 5727 BLK	Pebbled glass, 60w	69	12	2¼	2.85	2.55
P 5727 W		69	12	2¼	2.85	2.55
P 5729 BLK	Pebbled gl., 2-60w	69	12	3	3.55	3.15
P 5729 W		69	12	3	3.55	3.15
P 5730 BLK	Frosted glass, 60w	68	12	2½	4.45	3.90
P 5730 W		68	12	2½	4.45	3.90
P 5731 BLK	Frosted gl., 2-60w	68	12	3½	5.15	4.60
P 5731 W		68	12	3½	5.15	4.60




Cat. No.	Description	Cat. Pg. No.	Std. Pack	Shp. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.
 P 5735	Screenex gl., 9" ht. SC	68	24	1¼	1.90	1.65
 P 5776 AC	Crystal glass, 7¼" ht. SC	69	24	1¼	2.40	2.15
 P 5776 BLK		69	24	1¼	1.95	1.75
 P 5846 BLK	Bev'd glass, 17¾" ht. SB	67	1	4	13.85	12.30
 P 5846 W		67	1	4	13.85	12.30
 P 5875 BLK	Bev'd glass, 12¾" ht. SB	67	1	2½	6.55	5.80
 P 5875 W		67	1	2½	6.55	5.80
 P 5948 AC	Frosted globe, 7¼" ht. SC	69	24	1¼	1.85	1.65
 P 5948 BLK		69	24	1¼	1.40	1.25
 P 5953 BLK	Clear glass, 16¾" ht. CA	67	1	3¼	7.45	6.60
 P 5953 W		67	1	3¼	7.45	6.60
 P 5959	Pebbled gl., 2-60w CA	66	12	4	6.15	5.45
 P 5960 BLK	Screenex gl., 9" ht. CA	68	12	2	2.95	2.60
 P 5960 W		68	12	2	2.95	2.60
 P 5961 BLK	Screenex gl., 9" ht. CA	68	12	2	2.95	2.60
 P 5962	Clear glass, 8¼" ht. SA	68	1	2½	5.80	5.10
 P 5963	Clear glass, 9" ht. SA	68	1	2½	5.80	5.10
 P 5964	Clear glass, 22" w. SA	66	1	3	6.60	5.85
 P 5965	Clear glass, 7¾" w. SA	68	1	3	6.75	6.00
 P 5966 BLK	Crystal globe, 16" ht. CA	67	1	2¾	5.60	4.95
 P 5966 W		67	1	2¾	5.60	4.95
 P 5967	Fluted globe, 8" ht. CA	66	1	2½	4.50	4.00
 P 5968	With Numerals, 9½" ht. CA	69	12	2¼	3.95	3.50
 P 5969	Pebbled glass, 8" ht. CA	66	6	3	7.95	7.05
 P 5970	Crystal glass, 8" ht. CA	68	12	3	3.85	3.40
 P 5974	Crystal cyl. 6⅞" ht. CA	69	24	1¼	1.75	1.55
 P 5975 BLK	White glass, 7¾" ht. CA	69	24	2	3.25	2.85
 P 5978	Crystal glass, 9⅞" ht. SA	68	1	4	9.60	8.55

RECESS UNITS COMPLETE WITH HOUSING, FRAME & GLASS





 P 6402	Flat glass, hsg. 6¾" sq., 60w	56	6	3¼	3.60	3.20
 P 6404	Flat glass, hsg. 8" sq., 100w	56	6	4	4.20	3.70
 P 6406	Flat glass, hsg. 10" sq., 150w	56	4	4¾	5.20	4.60
 P 6403	Flat glass, hsg. 4¾"x7¾", 60w	56	6	3¼	3.60	3.20
 P 6405	Flat glass, hsg. 6¾"x10¾", 100w	56	6	4½	4.20	3.70
 P 6412	Pre-wired, Flat gl., hsg. 6¾" sq., 60w	56	6	3¾	4.75	4.20
 P 6414	Pre-wired, Flat gl., hsg. 8" sq., 100w	56	6	4½	5.35	4.70
 P 6416	Pre-wired, Flat gl., hsg. 10" sq., 150w	56	4	5¼	6.30	5.60

Cat. No.	Description	Cat. Pg. No.	Std. Pack	Shp. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.






RECESSED UNITS COMPLETE WITH HOUSING, FRAME & GLASS (Cont.)

	P 6413	Pre-wired, Flat gl., hsg. 4 3/4" x 7 3/4", 60w	56	6	3 3/4	4.75	4.20
	P 6415	Pre-wired, Flat gl., hsg. 6 3/4" x 10 3/4", 100w	56	6	4 1/2	5.35	4.70
	P 6422	Pre-wired, Drop Opal, hsg. 6 3/4" sq., 60w	56	6	4 1/2	5.85	5.20
	P 6424	Pre-wired, Drop Opal, hsg. 8" sq., 100w	56	6	5	6.60	5.85
	P 6426	Pre-wired, Drop Opal, hsg. 10" sq., 150w	56	4	6 1/2	7.80	6.90
	P 6432	Drop Opal, hsg. 6 3/4" sq., 60w	56	6	4	4.75	4.20
	P 6434	Drop Opal, hsg. 8" sq., 100w	56	6	4 1/2	5.50	4.85
	P 6436	Drop Opal, hsg. 10" sq., 150w	56	4	6	6.70	5.90



HI-HATS AND SHOWER LITES

	P 6913 BR	Opal glass, 1-100w	59	12	1	3.25	2.85
	P 6913 AL		59	12	1	3.25	2.85
	P 6915	Pol. Alum., Shower Lite, 75w, R-30	59	12	2 1/2	4.35	3.85
	P 6917	Pol. Alum., 75w, R-30	59	12	1 3/4	3.30	2.95
	P 6919	Pol. Alum., 150w, R-40	59	12	2	3.65	3.25
	P 6918	Pol. Alum., 75w, R-30	59	12	2	4.20	3.70
	P 6920	Pol. Alum., 150w, R-40	59	12	2 1/2	4.55	4.05




FLUORESCENT SLENDALITES — WALL OR CEILING MOUNTED

	P 7121	24 1/2", 20w, Trig.	49	1	6	9.75	8.65
	P 7141	48 1/2", 40w, Rapid	49	1	8	14.95	13.25
	P 7182	24", 2-20w, Trig.	43	1	12	13.90	12.30
	P 7185	48", 2-40w, Rapid, HPF	43	1	16	17.95	15.90
	P 7192	24", 4-20w, Trig.	43	1	15	23.25	20.60
	P 7195	48", 4-40w, Rapid, HPF	43	1	24	30.70	27.25




FLUORESCENT RECESSED

	P 7210	Flat Diffuser, 2-20w, Reg.	59	1	9	11.20	9.90
	P 7211	Flat Diffuser, 2-20w, Trig.	59	1	10	13.45	11.90
	P 7230	Drop Diffuser, 2-20w, Reg.	59	1	12	13.90	12.30
	P 7231	Drop Diffuser, 2-20w, Trig.	59	1	13	16.30	14.45



FLUORESCENT CIRCLINES

	P 7322 CHR	1-22w, Regular	42	1	2	3.90	3.45
	P 7323	1-22w, Rapid	42	1	2	5.00	4.45
	P 7329 CHR	22/32w, Rapid	42	1	3 1/2	6.95	6.15
	P 7329 COP		42	1	3 1/2	7.15	6.30
	P 7332 CHR	1-32w, Regular	42	1	3 1/2	4.50	4.00
	P 7332 W		42	1	3 1/2	4.20	3.70
	P 7333 CHR	1-32w, Rapid	42	1	3 1/2	5.20	4.60
	P 7333 W		42	1	3 1/2	4.90	4.30


Cat. No.	Description	Cat. Pg. No.	Std. Pack	Shp. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.

	P 7352 CHR	32/40w, Rapid	42	1	6 1/2	8.60	7.60
	P 7353 CHR	22/32/40w, Rapid	42	1	7	11.95	10.55
	P 7356	Shielded, 22/32w, Rapid	42	1	7	11.25	10.00
	P 7357	Shielded, 32/40w, Rapid	42	1	8	14.25	12.65


CHROME FLUORESCENT FIXTURES

	P 7424	26 1/8", 20w, Reg.	49	12	3	4.35	3.85
	P 7425	26 1/8", 20w, Trig.	49	12	3	6.40	5.65
	P 7437	38 1/8", 30w, Rapid	49	1	6	8.75	7.75
	P 7449	50 1/8", 40w, Rapid	49	1	7	9.45	8.40
	P 7451	16 3/4", 14w, Reg., Sw.	49	12	2	4.00	3.55
	P 7456	19 3/4", 15w, CO, Reg., Sw.	49	12	2	4.15	3.65






ADJUSTABLE REFLECTORS AND DIFFUSERS

	P 7500	Chr., Refl. for 14w	49	12	1/2	1.35	1.20
	P 7501	Chr., Refl. for 15w	49	12	1/2	1.50	1.35
	P 7502	Chr., Refl. for 20w	49	12	2/3	1.65	1.45
	P 7503	Chr., Refl. for 30w	49	6	1	2.40	2.15
	P 7504	Chr., Refl. for 40w	49	6	1 1/2	2.85	2.55
	P 7520	Styr. Diff. for 14w	49	12	1/2	1.90	1.65
	P 7521	Styr. Diff. for 15w	49	12	1/2	2.05	1.80
	P 7522	Styr. Diff. for 20w	49	12	2/3	2.25	2.00
	P 7523	Styr. Diff. for 30w	49	6	1	3.00	2.65
	P 7524	Styr. Diff. for 40w	49	6	1 1/2	3.45	3.05





LUMINOUS CEILING KITS

	P 8720	6'x8' Ceiling Kit	44	1	14	43.20	38.30
	P 8721	8'x10' Ceiling Kit	44	1	22 1/2	55.20	48.95
	P 8722	10'x12' Ceiling Kit	44	1	34	102.60	90.95









INSTALLATION ITEMS

	P 8700	Mounting Clips, set of 4	56	12 sets	1/2	.30 set	.25
	P 8701	Bar Hangers, 18" set of 2	58	24 sets	2 1/2	.40 set	.35
	P 8717	Hi-Hat Adapter Kit	59	12	1/2	1.15	1.00
	P 8725 BLK	Wall Bracket for Post Lanterns	64	6	1 1/2	5.65	5.00
	P 8725 W		64	6	1 1/2	5.65	5.00
	P 8726 BLK	Surface Bracket for Post Lanterns	64	6	1 1/4	4.50	4.00
	P 8726 W		64	6	1 1/4	4.50	4.00











DIMMERS — CONTROLS

	P 8750 BLK	Auto. Post Lantern Control	64	6	3/4	7.15	6.30
	P 8750 W		64	6	3/4	7.15	6.30
	P 8752	Outdoor Auto. Lantern Control	64	6	1/2	6.75	6.00
	P 8762	3 Position Dimmer, 300w	70	12	1/4	2.40	2.15
	P 8763	3 Position Dimmer, 600w	70	12	1/4	3.15	2.80
	P 8765	Continuous Rotary Dimmer, 600w Incand. or 400w Fluor.	70	1	2	26.25	23.30
	P 8767	Continuous Rotary Dimmer, 600w Incand.	70	1	2	13.45	11.90

RECESS WITH INTERCHANGEABLE FRAMES (p. 54-58)

SQUARE FRAMES		100W SQUARE HOUSINGS	
		P 6700 Pre-wired  8" x 8" x 4 1/4" Std. Pk. 6 Wt. 3 1-5 3.70 6+ 3.25	
P 6630 Frame and Flat Albalite Diffuser Std. Pk. 6 Wt. 1 1/2  1-5 6+ CHR/BR/COP 2.40 2.15 Painted 1.90 1.65 Alum. 3.15 2.80		COMPLETE (Housing & Frame) 1-5 6+ 6.10 5.40 5.55 4.90 6.85 6.05	
P 6631 Frame and Drop Opal Diffuser Std. Pk. 6 Wt. 2 1/4  1-5 6+ CHR/BR/COP 3.70 3.25 Painted 3.15 2.80 Alum. 4.45 3.90		COMPLETE (Housing & Frame) 1-5 6+ 7.35 6.50 6.85 6.05 8.10 7.20	
P 6633 All-glass Blown Opal Diffuser Std. Pk. 6 Wt. 2  1-5 6+ 6.75 6.00		COMPLETE (Housing & Frame) 1-5 6+ 10.45 9.25	
SQUARE FRAMES		150W SQUARE HOUSINGS	
		P 6710 Pre-wired  10" x 10" x 4 1/4" Std. Pk. 6 Wt. 3 1/2 1-5 4.20 6+ 3.70	
P 6640 Frame and Flat Albalite Diffuser Std. Pk. 6 Wt. 1 3/4  1-5 6+ CHR/BR/COP 3.15 2.80 Painted 2.65 2.35 Alum. 3.90 3.45		COMPLETE (Housing & Frame) 1-5 6+ 7.35 6.50 6.85 6.05 8.10 7.20	
P 6641 Frame and Drop Opal Diffuser Std. Pk. 6 Wt. 3 1/4  1-5 6+ CHR/BR/COP 4.45 3.90 Painted 3.90 3.45 Alum. 5.20 4.60		COMPLETE (Housing & Frame) 1-5 6+ 8.65 7.65 8.10 7.20 9.40 8.30	
P 6643 All-glass Blown Opal Diffuser Std. Pk. 6 Wt. 3  1-5 6+ 8.25 7.30		COMPLETE (Housing & Frame) 1-5 6+ 12.45 11.05	

RECESS WITH INTERCHANGEABLE FRAMES (Cont'd)








ROUND FRAMES		100W ROUND HOUSINGS	
		P 6695 Un-wired  6 1/2" dia. Std. Pk. 6 Wt. 2 1-5 6+ 3.10 2.75	P 6685 Pre-wired  6 1/2" dia. Std. Pk. 6 Wt. 3 1-5 6+ 4.60 4.10
P 6660 Frame and Flat White Glass Std. Pk. 6 Wt. 1  1-5 6+ CHR/BR 2.50 2.20 Painted 2.25 2.00		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 5.55 4.90 7.10 6.30 5.35 4.70 6.85 6.10	
P 6661 Frame and Drop Opal Glass Std. Pk. 6 Wt. 1 1/2  1-5 6+ CHR/BR 3.00 2.65 Painted 2.80 2.45		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 6.10 5.40 7.60 6.75 5.85 5.20 7.40 6.55	
P 6662 Frame and Fresnel Lens Std. Pk. 6 Wt. 1 1/4  1-5 6+ CHR/BR 3.00 2.65 Painted 2.80 2.45		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 6.10 5.40 7.60 6.75 5.85 5.20 7.40 6.55	
P 6664 Frame with Pinhole Opening Std. Pk. 6 Wt. 3/4  1-5 6+ CHR/BR 2.40 2.15 Painted 2.20 1.95		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 5.50 4.85 7.00 6.20 5.25 4.65 6.80 6.00	
P 6671 Frame only for R40 Std. Pk. 6 Wt. 1/2  1-5 6+ CHR/BR 1.60 1.40 Painted 1.35 1.20		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 4.70 4.10 6.20 5.50 4.45 3.90 5.95 5.30	
P 6672 Frame only for R30 Std. Pk. 6 Wt. 1/2  1-5 6+ CHR/BR 1.60 1.40 Painted 1.35 1.20		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 4.70 4.10 6.20 5.50 4.45 3.90 5.95 5.30	
P 6676 Frame with Eyeball Std. Pk. 6 Wt. 1 1/2  1-5 6+ AL/BR 5.70 5.05		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 8.80 7.80 10.30 9.15	
P 6677 Frame with Eyeball & Louver Std. Pk. 6 Wt. 1 3/4  1-5 6+ AL/BR 6.60 5.85		COMPLETE (Housing & Frame) 1-5 6+ 1-5 6+ 9.70 8.60 11.20 9.95	

PROGRESS-MOTION







FIXTURES

Cat. No.	Description	Cat. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net	
					1-5	Asstd. 6-more







KITCHEN AND BATH

	PM 3012	Same as 3013, Gnd. CO	77	12	2 1/4	3.15	2.80
	PM 3013	Chr., CO, 13", 2-75w	77	12	2 1/4	2.80	2.45
	PM 3023	Chr., CO, 23", 4-75w	77	6	4 1/4	5.05	4.45
	PM 3032	Chr., CO, Sw., 1-75w	77	12	1 1/4	2.75	2.40
	PM 3075	Same as 3076, Gnd. CO	77	12	1	2.10	1.85
	PM 3076	Chr., CO, 2-75w	77	12	1	1.75	1.55
	PM 3077	Same, w/Sw.	77	12	1	2.10	1.85
	PM 3080	Same as 3081, Gnd. CO	77	24	1 1/2	1.75	1.55
	PM 3081	Chr., 1-75w	77	24	1 1/2	1.30	1.15
	PM 3082	Same as 3081, w/CO	77	24	1 1/2	1.45	1.25
	PM 3083	Same w/Sw. & CO	77	24	1 1/2	1.80	1.60
	PM 3346	6 3/4" dia., 1-60w	76	12	1 3/4	1.75	1.55
	PM 3348	8 1/4" dia., 2-60w	76	12	3	2.40	2.15
	PM 3350	10 1/2" dia., 2-75w	76	6	3 3/4	3.25	2.85
	PM 3440	6 1/2" dia., 1-100w	76	12	2 1/4	1.70	1.50
	PM 3442	8 1/4" dia., 1-150w	76	6	2 3/4	1.95	1.75
	PM 3516	6 3/4" dia., 1-60w	76	12	1 3/4	2.10	1.85
	PM 3518	8 1/4" dia., 2-60w	76	12	3	2.80	2.45
	PM 3520	10 1/2" dia., 2-75w	76	6	3 3/4	3.55	3.15


HALL AND FOYER

	PM 3752	French gl., 1-75w	76	12	1 1/2	1.40	1.20
	PM 3753	Fluted gl., 1-100w	76	12	1 1/2	1.15	1.05
	PM 3756	French gl., 1-60w	76	12	1 3/4	1.70	1.50
	PM 3813	Pol. Br., Sw., 1-75w	76	12	1 1/2	2.50	2.20
	PM 3830	Pol. Br., Sw., 1-75w	76	24	1	2.10	1.85
	PM 3941 BR	1-100w or R-30	78	6	3/4	3.70	3.25
	PM 3941 AL		78	6	3/4	3.70	3.25
	PM 3942 BR	2-100w or R-30	78	3	1 1/2	6.50	5.75
	PM 3942 AL		78	3	1 1/2	6.50	5.75





DINETTES, PULLEYS, PENDANTS

	PM 4010	18 1/2" dia., 5-60w	73	1	7 1/4	15.85	14.05
	PM 4216 BR	14" dia., 2-75w	72	1	5	8.65	7.65
	PM 4216 COP		72	1	5	8.65	7.65
	PM 4216 BLK		72	1	5	7.80	6.90
	PM 4216 W		72	1	5	7.80	6.90
	PM 4218 BR	17" dia., 3-75w	72	1	6 3/4	10.75	9.55
	PM 4218 COP		72	1	6 3/4	10.75	9.55
	PM 4223 BR	12" dia., 1-100w	73	1	4 1/2	5.95	5.25
	PM 4223 AC		73	1	4 1/2	5.95	5.25
	PM 4224 BR	12" dia., 1-100w	73	1	4	5.35	4.70
	PM 4224 AC		73	1	4	5.35	4.70
	PM 4238 BR	12" dia., 2-60w	72	12	2 3/4	3.55	3.15
	PM 4238 COP		72	12	2 3/4	3.55	3.15
	PM 4238 W		72	12	2 3/4	3.30	2.95
	PM 4239 BR	14" dia., 2-75w	72	6	3 1/2	4.50	4.00
	PM 4239 COP		72	6	3 1/2	4.50	4.00
	PM 4239 W		72	6	3 1/2	4.00	3.55


BENT GLASS — ROUNDS AND SQUARES

	PM 4672	12" dia., 2-60w	74	12	2	2.35	2.05
--	---------	-----------------	----	----	---	------	------






Cat. No.	Description	Cat. No.	Std. Pack	Ship. Wt. (lbs.)	Dealer Net	
					1-5	6-more Asstd.

	PM 4682 GLD	12" dia., 2-60w	74	12	2	1.95	1.75
	PM 4682 SIL		74	12	2	1.95	1.75
	PM 4684 GLD	14" dia., 2-60w	74	6	2 3/4	2.45	2.20
	PM 4742	12" sq., 2-60w	74	12	2	1.75	1.55
	PM 4743	Same, w/PC	74	12	2	2.25	2.00
	PM 4744	14" sq., 2-60w	74	6	2 3/4	2.40	2.15
	PM 4872	12" sq., 2-60w	74	12	2	1.95	1.75
	PM 4874	14" sq., 2-60w	74	6	2 3/4	2.50	2.20
	PM 4886	16" sq., 3-60w	74	6	4	3.70	3.25
	PM 4962	12" sq., 2-60w	74	12	2	1.20	1.05
	PM 4963	Same, w/PC	74	12	2	1.75	1.55
	PM 4964	14" sq., 2-60w	74	6	2 3/4	1.70	1.50
	PM 4976	16" sq., 3-60w	74	6	4	2.80	2.45



POST-LANTERN COMBINATIONS

	PM 5475	Comb. Lantern & 2" Post	75	1	9	11.05	9.80
	PM 5478	Same, w/On-Off Sw.	75	1	9	17.05	15.10



PORCH LANTERNS

	PM 5597 BLK	Stippled gl., 7 3/4" ht.	75	24	1 3/4	1.75	1.55
	PM 5597 COP		75	24	1 3/4	1.75	1.55
	PM 5598	White gl., 8" ht.	75	12	1 3/4	3.25	2.85
	PM 5600 BLK	Clear gl., 7 1/4" ht.	75	24	1	1.15	1.00
	PM 5600 COP		75	24	1	1.15	1.00
	PM 5601 BLK	Clear gl., 8 1/4" ht.	75	24	1	1.15	1.00
	PM 5601 COP		75	24	1	1.15	1.00
	PM 5727 BLK	Pebbled gl., 1-60w	75	12	2 1/4	2.85	2.55
	PM 5727 W		75	12	2 1/4	2.85	2.55
	PM 5729 BLK	Pebbled gl., 2-60w	75	12	3	3.55	3.15
	PM 5729 W		75	12	3	3.55	3.15



RECESS BOXES

	PM 6452	Flat gl., hsg. 6 3/4" sq., 1-60w	78	6	3 1/4	3.15	2.80
	PM 6454	Flat gl., hsg. 8" sq., 1-100w	78	6	4	3.75	3.35
	PM 6456	Flat gl., hsg. 10" sq., 1-150w	78	4	4 3/4	4.75	4.20
	PM 6453	Flat gl., hsg. 4 3/4" x 7 3/4", 1-60w	78	6	3 1/4	3.15	2.80
	PM 6455	Flat gl., hsg. 6 3/4" x 10 3/4", 1-100w	78	6	4	3.75	3.35

FLUORESCENT CIRCLINES

	PM 7329 CHR	22/32w, Rapid	77	1	4 1/4	6.95	6.15
	PM 7332 CHR	32w, Regular	77	1	3 1/2	4.50	4.00
	PM 7333 CHR	32w, Rapid	77	1	3 1/2	5.20	4.60

HOUSE PACKS

	PM 8602	For 2 Bedroom House, Contains: 2-4962 and one each Nos. 3348, 3082, 5600, 3753 and 4976	78	1	14	12.45	11.05
	PM 8603	For 3 Bedroom House, same as 8602 w/3-4962	78	1	16	13.65	12.10

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

PROGRESS MANUFACTURING CO., INC. Philadelphia 34, Pennsylvania CABLE ADDRESS PROGCO